


(2000091235)

ATTN: Mike Carter



Sheet 1 of 2
Job No. 0055A

Title : Sign for
7- Eleven

Location :
Lake County
Florida

Date: 10/2/00

Client: Quality Signs

Designed by :
Edward W. Cavin
P.E. 8018
1400 Avondale Ave.
Jacksonville, Fla.
32205
Tel. (904) 388-2021

Edward W. Cavin
10-2-00

1. Structural design in accordance with 1997 Standard Building Code.
2. A36 Steel, $F_y = 36 \text{ ksi}$ unless noted otherwise
3. 3,000 psi Concrete
4. Footing design assumes soil bearing capacity of 2,000 psf and allowable lateral soil pressure of 200 psf / ft. Notify engineer if undesirable conditions; such as loose soils, highly organic soils, or peat are encountered.
5. Design of pre-engineered sign cabinet(s) and all construction to be in accordance with all applicable local, state, and national building codes.
6. Wind speed = 128 m.p.h.

7-11

MARTY SUAVOFF

Cell # 863-206-7387

Office Plant City

813-752-9119

Tom McLeod

TREE REMOVAL PERMIT

SIGN PERMIT

11 5
77. TREE CLUSTER

1880-008 CANOPY SHIELDS

SIGN BASE

913-825-8116
P 11P
bost on not

