



Cypress Ridge Elementary School Snapshot

December 7, 2011

Grades: Pre-Kindergarten – 5th

Total Students: 595

Provided Bus Transportation: 6

Not Provided Bus Transportation: 589

Students Living within the "Walk Zone": 102

Provided Bus Transportation:

Not Provided Bus Transportation: 101

Observation Day (Partly Cloudy)

Walkers:

Bike Riders:






- ✓ Cypress Ridge Elementary School website Click <u>here</u>
- City of Clermont website Click here
- ✓ Lake County Schools website Click here



Campus Access Overview

- CRES is a magnet school (math/science/technology/social science)
- No busing except ESE students
- Most parents drive their students to school
- √ Two drop-off/pick-up loops
- One-way traffic flow (NB) on 2nd
 St between Orange Ave and
 Carroll St during arrival/dismissal
- Oak St blocked to traffic to/from East Ave during arrival/dismissal
- Bike/walk access via the front of the school (East Ave)
- Crossing guard located at East Ave/Oak St






Attendance and 2-Mile "Walk" Zone Map

Cypress Ridge Elementary School: Attendance and 2-Mile "Walk" Zone Map







Arrival and Dismissal Schedule

7:00-7:50 am: ELC program & breakfast

begins (typically about 20

students)

7:30-8:30 am: Crossing guard on duty

7:50-8:10 am: Gates open for drop-off

8:15 am: School begins

2:45 pm: School dismissal


2:45-3:20 pm: Typical student pick-up

period

2:45-6:00 pm: ELC after school program

(60-90 students)

Note: Students are released one hour early on Wednesdays











- ✓ No regular bus service provided. Daycare buses drop-off students in the front of the school (via East Ave) in the morning and pick-up in the back of the school (via 2nd St) in the afternoon
- Drivers in the afternoon vehicle queue on 2nd Street were generally courteous and left an opening for daycare bus access



Student Drop-off & Pick-up

- ✓ Drop-off / pick-up for grades K-2 is from Oak St
- ✓ No traffic is permitted to use Oak St from East Ave during arrival/dismissal time - a barricade is used to prohibit this movement and direct outbound traffic back to 2nd St
- Signage is also used to create one-way northbound flow on 2nd St between Carroll St and Orange Ave during arrival/dismissal time
- The existing campus layout limits car capacity and motorists encroach into 2nd Avenue; maximum observed PM queue was approximately 40 vehicles












Student Drop-off & Pick-up

- ✓ Drop-off / pick-up for grades 3-5 & Pre-K is from East Ave
- ✓ 5 gates used plus crosswalk used for drop-off/pick-up; use microphone to call students to cars in PM
- ✓ Vehicles queue onto East Ave during both AM & PM periods; max observed queue on East Ave stretched nearly to the center island just south of Grand Hwy
- All queuing in PM was in southbound direction; no northbound left-turn queue
- Parents are not permitted to park on-site to drop-off or pickup students; as a result, some parents drop-off / pick-up on East Ave or park on East Ave and walk up to the school











Bike/Walk Access





- Less than 10 walkers & generally no bicyclists; not many students within reasonable walking/bicycling distance
- ✓ Bike / walk access via front of school
- ✓ One crossing guard located at East Ave & Oak St
- ✓ Sections of sidewalk on East Ave & 2nd St in poor condition
- ✓ One bike rack is provided in the back of the school location is not very visible, but is secure; rack type is "wheel bender"
- ✓ School does provide a bicycle / pedestrian safety program










Completed / Planned Projects

Findings:

- ✓ The City of Clermont has recently installed several new sidewalks in the vicinity of the school, including sidewalks on School St, Juniata St, & Scott St & Prince Edward Ave between Desoto St and Pitt St
- ✓ The City has a planned project in 2012 to reconstruct East Ave from SR 50 to Lake Minneola, which presents an opportunity to look at pedestrian, bicyclist, parking, and turning traffic needs in this corridor
- ✓ The City has a similar planned project in 2013 or 2014 to reconstruct Pitt St from East Ave to Grand Hwy with potential to consider pedestrian, bicycle, and turning traffic needs

Recommendations:

 Coordinate with the City on the planned maintenance/ improvement of these roadways to include needed projects – evaluate turn lanes, on-street parking, curb extensions, etc.






Transportation Access Master Plan


Cypress Ridge Elementary School: Transportation Access Master Plan







Recommended Priority Projects



- 1. School accessibility improvements
- Mark crosswalks at all school driveways
- 3. Mark crosswalks at 2nd St/Carroll St intersection
- 4. Connect sidewalk on Carroll St
- 5. Sidewalk repair/maintenance
- Replace/update signage at parent drop-off / pick-up exits
- Restripe East Ave add turn lanes & modify parking



Safe Access Recommended Priority Projects

Cypress Ridge Elementary School

Cypress Ridge Elementary School: Priority Projects LEGEND Schook Minneola Public Schools Lake County Identified Improvement Projects 2 Priority Projects (by Project ID) Recommended Projects **Property Ownership** Spring Lake Lake County Owned Property City Owned Property Church Owned Property **Golf Owned Property** Cypress Ridge Elementary Transportation Network Major Roads **Existing Sidewalks** LakeXpress Bus Stop Clermont Lake Xpress Bus Routes Middle School Traffic Signal Flashing Beacon Crossing Guard Location Sources FDOT, FDLE, Lake County Schools, LSMPO, HDR This map is intended for planning purposes only Shady Nook Lake SafeAccess Lake-Sumter (T) HOR



School Accessibility Improvements

Findings:

- Only one handicap parking space provided, and it has no accessibility to the curb (existing accessible ramp is fenced off)
- ✓ No curb ramps or accessible access point provided at either of the parent drop-off / pick-up loops

Recommendations:

Make changes to bring site up to ADA compliance including addition of handicap spaces in both parking areas, addition of curb ramps, restriping crosswalk with FDOT ladder style markings, etc.









Mark Crosswalks at all School Driveways

Findings:

- ✓ There are no marked crosswalks across any of the school driveways on East Ave or Oak St
- ✓ Although in most cases, students would not be crossing the driveways when entering or exiting the school, pedestrians should be acknowledged as having the right-of-way at the driveways

Recommendations:

 Mark crosswalks across all school driveways using high visibility FDOT ladder style markings









Mark Crosswalks at 2nd St/Carroll St Intersection

Findings:

- No crosswalk provided across south leg of intersection
- Low visibility transverse lines mark crosswalk across east leg of intersection

Recommendations:

 Stripe both crosswalks with high visibility FDOT ladder style markings





Connect Sidewalk on Carroll St

Findings:

- Existing sidewalk on north side of Carroll St is interrupted just east of 2nd St by a section used for on-street parking
- ✓ It is unclear if this parking was intended to serve a particular function, but it appears out of place

Recommendations:

 Remove short on-street parking area and replace with sidewalk and landscape buffer










Sidewalk Repair/Maintenance


Findings:

- ✓ Portions of the existing sidewalks on East Ave (west side) and 2nd Street adjacent to the school are in poor condition – overgrown and cracked
- Cracked sidewalks can be a tripping hazard

Recommendations:

✓ Repair and maintain sidewalks as necessary







Replace/Update Signage at Drop-off / Pick-up Loops

Findings:

- Existing signs at exit of front drop-off / pick-up loop to East Ave is worn
- ✓ Sign noting times of left turn prohibition is not legible
- "Do Not Enter" signs at both drop-off / pick-up loop exits is non-standard

Recommendations:

- ✓ Replace signs at East Ave driveway exit
- ✓ Use standard MUTCD R5-1 "Do Not Enter" signage at both drop-off / pick-up exit driveways







Restripe East Ave

Findings:

- East Ave is currently striped with one travel lane in each direction and on-street parking
- Traffic movements during arrival & dismissal can be chaotic
- Curb to curb width of street in front of school is approx.
 44 feet; pedestrian crossing distances are long
- ✓ Some on-street parking spaces are marked "No Parking" – they are not used since they interfere with the student pick-up car line
- ✓ City of Clermont plans to reconstruct East Ave

Recommendations:

- Evaluate striping changes to provide a northbound left-turn lane and southbound right-turn lane at the north school driveway
- Evaluate on-street parking modifications and use of curb extensions from Carroll Street to Oak Street







Cost Estimates For Priority Projects


Project Priority	ltem	Quantity	Units	Total
2	Crosswalk Stripping	150	ft	\$335.00
3	Crosswalk Stripping	42	ft	\$100.00
4	Sidewalk	107	ft	\$29,500.00
6	Time List Sign	1	Sign	\$300.00
6	Do Not Enter Sign	1	Sign	\$300.00

ESTIMATE BASIS AND ASSUMPTIONS:

- Sidewalk estimates based on estimating tool developed for Phase 1, Estimates for all other improvements based on Unit Costs per FDOT Lake County (Area 7) averages (07/2011 06/2012).
- · Estimate does not include utility relocation costs, utility relocation assumed by others.
- The mobilization costs are based on 15% of the construction cost and estimates include maintenance of traffic costs (15% of construction costs).
- · No Regular excavation & embankment to 1 ft depth is assumed
- No R/W Impact
- No specialized landscaping (beyond sodding) is included.
- Sidewalk is assumed to be 5 feet wide, unit given is in linear feet.



School Renovation Concept Plan



- Combines the two existing drop-off/pickup loops into one on-site circulation loop
- ✓ Suggests a clockwise queuing/staging traffic flow pattern around the school on Oak St, 2nd St, and potentially Carroll St
- Secondary pick-up could be used for future bus loop
- Concept does not show pedestrian access; pedestrians coming from the north & east would be required to cross the car line – could potentially be accommodated via a raised speed table



Contact Information

This website represents an ongoing commitment to increase safe access to schools within the Lake-Sumter Metropolitan Planning Organization Planning Area.

Updates to data, and suggestions for programming and project ideas are welcome from all agencies and the general public.

Mike Woods

Project Manager, Transportation Planner (352) 315-0170 mwoods@lakesumtermpo.com

Mindy Heath, AICP

Consultant Project Manager (407) 420-4200 Mindy.heath@hdrinc.com





Promoting Regional Transportation Partnerships