

April 13, 2012

Mr. Mark Rudowske City of Mount Dora ADA Coordinator 1250 N. Highland Street Mount Dora, FL 32757

RE:

1545 Heim Road

Dear Mr. Rudowske:

Thank you for your letter dated April 5, 2012 regarding a trip hazard on a portion of the sidewalk located at 1545 Heim Road. Please be advised that Lake County does not maintain this sidewalk. This sidewalk has been consistently maintained by the City of Mount Dora, and Mr. Huett has acknowledged the city's maintenance of such when I spoke to him earlier this week. The Attorney General has opined that sidewalks within the jurisdiction of a municipality are the responsibility of the municipality.

I can be reached at (352)483-9006 should you need additional information.

Sincerely,

Lori L. Conway

Road Operations Division Manager

:LLC

c: Jim Stivender, Director

Gary V. Hammond, Mount Dora Public Works & Utilities Director

Dennis Huett, Mount Dora Public Works Manager



**PUBLIC WORKS AND UTILITIES** 

City Hall 510 N. Baker St. Mount Dora, FL 32757

Office of the City Manager 352-735-7126 Fax: 352-735-4801

Customer Service 352-735-7105 Fax: 352-735-2892

Finance Department 352-735-7118 Fax: 352-735-1406

Human Resources 352-735-7106 Fax: 352-735-9457

Planning and Development 352-735-7112 Fax: 352-735-7191

City Hall Annex 900 N. Donnelly St. Mount Dora, FL 32757

Parks and Recreation 352-735-7183 Fax: 352-735-3681

Public Safety Complex 1300 N. Donnelly St. Mount Dora, FL 32757

Police Department 352-735-7130 Fax: 352-383-4623

Fire Department 352-735-7140 Fax: 352-383-0881

Public Works Complex 1250 N. Highland St. Mount Dora, FL 32757 352-735-7151 Fax: 352-735-1539

W. T. Bland Public Library 1995 N. Donnelly St. Mount Dora, FL 32757 352-735-7180

Fax: 352-735-0074

Website: www.cityofmountdora.com April 5, 2012

Dennis Warren Lake County Public Works 437 Ardice Avenue Eustis, FL 32726

Re: Trip Hazard Report

Dear Mr. Warren:

This communique is to notify you of a trip-fall incident within a Lake County right-of-way. We received a report of an incident in which an elderly gentleman stumbled and fell on the sidewalk at 1545 Heim Road, 32757. I have attached herewith a copy of our report.

RECEIVED

APR 1 0 2012

LAKE COUNTY

ROAD OF TOAT ONE

I understand you have already talked with Dennis Huett, Mount Dora Public Works Manager and will address the problem very soon. In the meantime, Mr. Huett will block off the section of sidewalk where the fall occurred. Please address this issue with all speed. Thank you for your attention to this matter

Regards,

Mark Rudowske

City of Mount Dora ADA Coordinator

Cc: Ken Bloom, Risk Manager

Gary V. Hammond, Public Works & Utilities Director

Attachment: ADA Grievance form 120402-001

"Serving to Protect Public Health, Enhance Water Quality, Educate the Public and Protect the Environment" Grievance 120402-001

Today's Date: 4/2/2012 Called in to Gary Hammond by Mrs. Herndon
Identify specifically the location of the accessibility problem using street addresses and landmarks (if applicable):
1545 Heim Road (pics on lite)
Describe specifically the accessibility problem, e.g.," too much side slope on sidewalk, no ramp at crosswalk" (if applicable) or give us your general
comments:
Multiple trip hazarok. In front of his house
Multiple trip hazaros.  Rob't Herndon tripped & fell at broken Swon Old Hwy 441.
Kob't Herndon Tripped & ten at more on old rwy
MR investigated 4/2/12 and spoke W/Mrs Herndon at residence.
Mrs. Herndon pointed out a large oak in her front yard whose roots
this first felled
are heaving the SW creating Trip haz. The trip haz that felled
Mr Herndon v. clearly is in old 441 R-O-W, City personnel in the
vicinity aided Mr. Herndon a called emergency services. MANDANA.
This sw might be outside City maintained area. There are mult. trip
har of this exction
haz along. this section.
If we have questions with regard to this feedback, may we contact you for further information?
The following information is optional:
Your name
Robert Herndon 1545 Heim Koad
Email
Telephone Facsimile