



**Native Land and Tree, Inc.**  
**9422 Number Two Road**  
**Howey In The Hills, FL 34737**

**RECEIVED**

JUL - 2 2015

**Invoice**

LAKE COUNTY  
ROAD OPERATIONS

|           |           |
|-----------|-----------|
| Date      | Invoice # |
| 6/30/2015 | 3101      |

|  |
|--|
| Bill To  |
| Lake County Public Works / Road Operation<br>Road Operations Center<br>PO Box 7800<br>Tavares, FL 32778-7800 |

| Description  | Quantity | Rate                    | Project                         |
|--|----------|-------------------------|---------------------------------|
|  |          |                         | Tree Removal                    |
| Description  | Quantity | Rate                    | Amount                          |
| Removal of 42" DBH Oak tree with stump ground out located at 5620 Bertsville Rd  | 1        | 2,150.00                | 2,150.00                        |
| <p style="text-align: right;"><i>JK 7/2/15</i></p> <p style="text-align: center;"><b>OK TO PAY</b><br/> <b>NATIVE LAND &amp; TREE</b><br/>           PO#: 20150065<br/>           Acct#: 1120.5053200.830460<br/>           Goods Recd: <u>6/25/15</u></p> |          |                         |                                 |
| Thank you for your business.   |          | <b>Total</b>            | <i>ROB 7-2-15</i><br>\$2,150.00 |
|  |          | <b>Payments/Credits</b> | \$0.00                          |

KIC 07/02/15

|              |       |                      |
|--------------|-------|----------------------|
| Phone #      | Fax # | E-mail               |
| 352-266-7970 | N/A   | Davidnlt23@gmail.com |

*JK 7/2/15 BP 7/2/15*



LAKE COUNTY  
FLORIDA

**To: Native Land and Tree      From: Public Works/Road Ops**

**Fax: 352-330-1600      Pages: 1**

**Phone: 352-266-7970      Date: 7/2/2015**

**E-Mail: buffy@nativelandandtree.com**

**TREE REMOVAL REQUEST**

Road Name: Bertsville Road Segment #: 1-7114-01

Nearest City: Lady Lake

Address: 5620 Bertsville Road

Section: 24      Township: 18      Range: 24

Description of Tree: oak

Location of Tree: in front of listed address

Size of tree (s): 42

Grind Stump: yes      Remove Stump: no

If trim what class: Class 1       Class 2       Class 3

Power Lines or other hazards involved: Yes  No

Sod: Yes  No       Type of sod Needed: none

Comments: tree marked with flagging tape

Questions concerning tree size(s) shall be addressed and agreed upon in writing by either the Maintenance Area Supervisor or the Senior Contracting Officer prior to the performance of the work. Any work performed without agreement by all parties shall be paid in accordance with the terms and conditions of the Contract. Invoices should be sent to the address listed below.

Approved by County Representative : Robert Baker      Date:6-15-2015

Work completed and OK to Pay: Yes  No

Inspected by: Robert Baker      date: 6-25-2015

Invoice #: 3101

---

Lake County Road Operations, Public Works 12901 County Landfill Road, Tavares.  
Mailing Address, PO Box 7800, Tavares Florida 32778,  
Phone Number: 352-343-6439 – Fax Number: 352-742-3888



LAKE COUNTY  
FLORIDA

To: \_\_\_\_\_ From: **Public Works/Road Ops**

Fax: \_\_\_\_\_ Pages: **1**

Phone: \_\_\_\_\_ Date: **6/12/2015**

E-Mail: \_\_\_\_\_

**TREE REMOVAL REQUEST**

Road Name: Bertsville Rd (7114) Segment No.: 1-7114-01

Nearest City: Lady Lake

Address: 5620

Section 24 Township: 18 Range: 24

Description of Tree: \_\_\_\_\_

Location of Tree: At the end of Bertsville Rd in front of address 5620 Bertsville Rd.

Size of tree (s): 42" @ Base

Grind Stump? X YES Remove Stump? X

If trim what class? Class 1  Class 2  Class 3

Power Lines or other hazards involved? Yes  No

Sod? Yes  No  Type of sod Needed: \_\_\_\_\_

Comments: \_\_\_\_\_

Questions concerning tree size(s) shall be referred to the Project Manager or designee prior to the performance of work. Payment shall be made in accordance with the terms and conditions set forth below.

the Project Manager  
Payment by all parties shall be made in accordance with the terms and conditions set forth below.

Approved by: \_\_\_\_\_  
County Representative

|                | <u>Native</u>  | <u>Total</u>   |
|----------------|----------------|----------------|
| 42" oak        | 1,800          | 1,900          |
| Stump grinding | 350            | 400            |
|                | <u>\$2,150</u> | <u>\$2,300</u> |

**Work Completed and** \_\_\_\_\_

**Inspected by:** \_\_\_\_\_

**Invoice #** \_\_\_\_\_

BP  
6/12/15

# Request Details Report

|                       |                              |                           |
|-----------------------|------------------------------|---------------------------|
| <b>Request Number</b> | <b>Associated Work Order</b> | <b>Observed Date/Time</b> |
| MA1-10062-R           |                              | 6/11/15 8:28:A            |

---

## *Citizen Information*

|                |                      |                        |                |             |  |
|----------------|----------------------|------------------------|----------------|-------------|--|
| <b>Name</b>    | Bob Borrence         | <b>Phone</b>           | (352) 267-0972 | <b>Ext.</b> |  |
| <b>Address</b> | 5620                 | <b>Alternate Phone</b> |                |             |  |
|                | Bertsville Rd (7114) | <b>Email Address</b>   |                |             |  |
|                | Lady Lake FL         |                        |                |             |  |

## **Organization**

**Requestor  
Contact**

---

## *Issue and Location*

|                 |                 |                     |            |            |
|-----------------|-----------------|---------------------|------------|------------|
| <b>Activity</b> | <b>Issue</b>    | <b>Tree Removal</b> |            |            |
| TRE Removal     | <b>Map Page</b> | <b>SEC</b>          | <b>TWN</b> | <b>RNG</b> |

**Address Number** 5620

**Route** Bertsville Rd (7114)

**Intersect Route**

## **Details**


Per Email:

I just received a call from Bob Borrence (267-0972) who lives at 5620 Bertsville Rd in Lady Lake. He said there is a tree that was struck by lightning in the right of way at the end of the street that he thinks is getting ready to fall.

## **Notes**

## **History**

|           |   |           |
|-----------|---|-----------|
| 6/11/2015 | Request was printed and handed to Supervisor for further investigation. | nbautista |
| 6/12/2015 | ROW information recieved, 60' ft of ROW.                                | nbautista |



Oak to be removed on Bertsville Rd (7114)

Oak to be removed on Bertsville Rd (7114)

