

1722 N.W. 80th Blvd #50  
 Gainesville, FL 32606  
 352-333-9595



# Invoice

Date	Invoice #
1/9/2015	3866

FEB 11 2015

Bill To
Lake County Department of Public Works Road Operations Division PO Box 7800 Tavares, FL 32778-7800

P.O. No.	Project
	North Hancock Road

Item	Service	Unit Price	Qty	Amount
	Lake County:North Hancock Road			
h25	Handrail Joint\Splice	15.00	6	90.00
h31	Three Rail Assembly	42.00	78.1	3,280.20

*LC 2/13/15*

**OK TO PAY FOR**  
**RJP ENTERPRISES, INC.**

**TO RISK MGMT:** 2/17/15  
**Goods Recd:** 2/9/15

<b>Total</b>	\$3,370.20
<b>Payments/Credits</b>	\$0.00
<b>Balance Due</b>	\$3,370.20

SI-11-20  
KC 02-11-15

Phone #	Fax #
352-333-9595	352-333-9575

*QA*  
*2/13/15*  
*BP*  
*2/13/15*

*2-11-15*



**LAKE COUNTY**  
FLORIDA

<b>To:</b> RJP Enterprises, Inc.	<b>From:</b> Public Works Road Operations Div.
<b>Fax:</b> 352-333-9575	<b>Phone:</b> (352) 343-6439
<b>Phone:</b> 352-333-9595	<b>Date:</b> 2/17/2015
<b>E-Mail:</b> rpolvere@rjpent.com	<b>Pages:</b> 3

**Re: 11-0604, Guardrail / Handrail Repair Service Request**

**WORK QUOTE REQUEST**

Road Name: North Hancock Road Segment Number: 2-1354-21

Guardrail Number: n/a

Location: 750 feet south of the intersection with North Ridge Blvd. on the east shoulder of Hancock Road

Nearest City: Clermont

Section: 27 Township: 22 Range: 26

Length of damage if not an end: 65' feet

Ends damaged? Yes  No

If yes, how many? \_\_\_\_\_

Comments: This quote request is for repair of a Three rail handrail

Questions should be addressed and agreed upon in writing by either the Project Manager or designee prior to the performance of work.

Approved by: Robert Baker 9-5-2014 \_\_\_\_\_

**County Representative**

Work completed OK to Pay Date : 2-6-2015	Invoice #	3866
Approved by: Robert Baker	Goods Received	2-6-2015

**HANDRAIL  
Work Quote Request**

Project Name and Location

North Hancock Road , Handrail Quote

ITEM	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
22.	Posts 2" NPS (Sch. 40)		LF	\$	\$
23.	Rails 2" NPS (Sch. 40)		LF	\$	\$
24.	Rail joint/splice		EA	\$	\$
25.	Handrail joint/splice	6	EA	\$ 15 <sup>00</sup>	\$ 90 <sup>00</sup>
26.	Handrail 1 1/2" NPS		LF	\$	\$
27.	Handrail support bar 1"		LF	\$	\$
28.	Mounting base plates		EA	\$	\$
29.	Anchors/bolts		EA	\$	\$
30.	Two rail assembly		LF	\$	\$
31.	Three rail assembly	68	LF	\$ 42 <sup>00</sup>	\$ 2856.00

**Total Handrail Cost Quote:**

\$ 2946.00

Emergency Response Fee

\$

**Total Project Cost Estimate:**

\$ 2946.00

*APB*  
1-5-15

County Representative

Print Brenda L. Press

Sign *BPress*

Date 1/5/2015

Contractor Representative

Print *Robert Palmer*

Sign *RP*

Date 12/31/14

\*\*\*\* Please complete, sign, and return to Lake County



LAKE COUNTY  
FLORIDA

To: RJP Enterprises, Inc.	From: Public Works Road Operations Div.
Fax: 352-333-9575	Phone: (352) 343-6439
Phone: 352-333-9595	Date: 9/9/2014
E-Mail: rpolvere@rjpent.com	Pages: 3

**Re: 11-0604, Guardrail / Handrail Repair Service Request**

**WORK QUOTE REQUEST**

Road Name: North Hancock Road Segment Number: 2-1354-21

Guardrail Number: n/a

Location: 750 feet south of the intersection with North Ridge Blvd. on the east shoulder of Hancock Road

Nearest City: Clermont

Section: 27 Township: 22 Range: 26

Length of damage if not an end: 65' feet

Ends damaged? Yes  No

If yes, how many? \_\_\_\_\_

Comments: This quote request is for repair of a Three rail handrail

Questions should be addressed and agreed upon in writing by either the Project Manager or designee prior to the performance of work.

Approved by: Robert Baker 9-5-2014

**County Representative**

Work completed OK to Pay Date :	Invoice #	
Approved by:	Goods Received	

08/08/2014



08/08/2014





02-09-2015 09:37





**HANDRAIL  
Work Quote Request**

Project Name and Location

North Hancock Road , Handrail Quote

ITEM	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
22.	Posts 2" NPS (Sch. 40)	_____	LF	\$ _____	\$ _____
23.	Rails 2" NPS (Sch. 40)	_____	LF	\$ _____	\$ _____
24.	Rail joint/splice	_____	EA	\$ _____	\$ _____
25.	Handrail joint/splice	6	EA	\$ 15 <sup>00</sup>	\$ 90 <sup>00</sup>
26.	Handrail 1 1/2" NPS	_____	LF	\$ _____	\$ _____
27.	Handrail support bar 1"	_____	LF	\$ _____	\$ _____
28.	Mounting base plates	10	EA	\$ 20	\$ 200 <sup>00</sup>
29.	Anchors/bolts	20	EA	\$ 7.50	\$ 150 <sup>00</sup>
30.	Two rail assembly	_____	LF	\$ _____	\$ _____
31.	Three rail assembly	68	LF	\$ 42 <sup>00</sup>	\$ 2856 <sup>00</sup>

**Total Handrail Cost Quote:**

\$ 3296.00

Emergency Response Fee

\$ \_\_\_\_\_

**Total Project Cost Estimate:**

\$ 3296.00

County Representative

Contractor Representative

Print \_\_\_\_\_

Print Robert Palmer

Sign \_\_\_\_\_

Sign [Signature]

Date \_\_\_\_\_

Date 9/17/14

\*\*\*\* Please complete, sign, and return to Lake County

*email sent  
9/25/14 requesting  
revised quote w/o  
charge for anchors/bolts.  
BP  
\* email attached*



**LAKE COUNTY**  
FLORIDA

<b>To:</b> RJP Enterprises, Inc.	<b>From:</b> Public Works Road Operations Div.
<b>Fax:</b> 352-333-9575	<b>Phone:</b> (352) 343-6439
<b>Phone:</b> 352-333-9595	<b>Date:</b> 9/9/2014
<b>E-Mail:</b> rpolvere@rjpent.com	<b>Pages:</b> 3

**Re: 11-0604, Guardrail / Handrail Repair Service Request**

**WORK QUOTE REQUEST**

Road Name: North Hancock Road Segment Number: 2-1354-21

Guardrail Number: n/a

Location: 750 feet south of the intersection with North Ridge Blvd. on the east shoulder of Hancock Road

Nearest City: Clermont

Section: 27 Township: 22 Range: 26

Length of damage if not an end: 65' feet

Ends damaged? Yes  No

If yes, how many? \_\_\_\_\_

Comments: This quote request is for repair of a Three rail handrail

Questions should be addressed and agreed upon in writing by either the Project Manager or designee prior to the performance of work.

Approved by: Robert Baker 9-5-2014

**County Representative**

<b>Work completed OK to Pay Date :</b>	<b>Invoice #</b>	
<b>Approved by:</b>	<b>Goods Received</b>	

**Press, Brenda**

---

**From:** Press, Brenda  
**Sent:** Thursday, September 25, 2014 4:34 PM  
**To:** 'Robert Polvere'  
**Cc:** Baker, Robert; Johnson, Jeff  
**Subject:** FW: Request for a quote to repair a Handrail on North Handcock Road  
**Attachments:** SKonica Min14091714140.pdf

Good afternoon Robert,  
After reviewing your quote for this handrail repair, it was noticed that a line has been added to the quote for anchors/bolts. Pursuant to the contract, the handrail assemblies should include mounting plates and all associated hardware such as nuts, bolts, washers, etc. Please revise the quote and we will sign and return it to you. Thank you in advance for your assistance. Have a great day! ☺

*Brenda L. Press*

Contracting Officer I

**Lake County Department of Public Works, Road Ops Division**

12901 County Landfill Road

Tavares, FL 32778

T: (352) 343-6439

F: (352) 742-3888

[bpres@lakecountyfl.gov](mailto:bpres@lakecountyfl.gov)

Please note: Florida has a very broad public records law. Most written communication to or from government officials regarding government/public business is public record available to the public and media upon request. Your e-mail communications may be subject to public disclosure.

---

**From:** Baker, Robert  
**Sent:** Thursday, September 25, 2014 3:02 PM  
**To:** Press, Brenda  
**Subject:** FW: Request for a quote to repair a Handrail on North Handcock Road

fyi

*Robert Baker*

Contract Technician

Lake County Public Works/ Road Operation  
12901 Landfill Rd. Tavares, FL. 32778

Mailing Address: PO Box 7800, Tavares, FL. 32778-7800

Phone: 352-343-6439

Fax: 352-742-3888

Email: [rbaker@lakecountyfl.gov](mailto:rbaker@lakecountyfl.gov)

---

**From:** Robert Polvere [<mailto:RPolvere@rjpent.com>]  
**Sent:** Wednesday, September 17, 2014 2:10 PM  
**To:** Baker, Robert  
**Subject:** RE: Request for a quote to repair a Handrail on North Handcock Road

Bob,

Please find attached the quote on the handrail repair.

Thank you,

*ROBERT J. POLVERE*  
*President*



*R.J.P. ENTERPRISES, INC.*  
*CERT. GENERAL CONTRACTOR*  
*1722 NW 80th Blvd, Unit 50*  
*Gainesville, FL 32606*  
*PH: 352-333-9595 xt 304*  
*Fax: 352-333-9575*  
*Mob: 352-258-0000*  
*Email: [rpolvere@rjpent.com](mailto:rpolvere@rjpent.com)*

---

**From:** Baker, Robert [<mailto:rbaker@lakecountyfl.gov>]

**Sent:** Friday, September 05, 2014 4:12 PM

**To:** Robert Polvere

**Cc:** Nichole Lewis; Press, Brenda; Johnson, Jeff; Haynes, Denise; Berger, David; Nichols, Wendell; Wilkins, Temia

**Subject:** Request for a quote to repair a Handrail on North Hancock Road

Robert,

Please take a look at this information and give us a quote to repair this handrail on North Hancock Road.

Thank you;

*Robert Baker*

Contract Technician

Lake County Public Works/ Road Operation  
12901 Landfill Rd. Tavares, Fl. 32778

Mailing Address: PO Box 7800, Tavares, Fl. 32778-7800

Phone: 352-343-6439

Fax: 352-742-3888

Email: [rbaker@lakecountyfl.gov](mailto:rbaker@lakecountyfl.gov)

## Baker, Robert

---

**From:** Press, Brenda  
**Sent:** Friday, September 26, 2014 4:01 PM  
**To:** 'Robert Polvere'  
**Cc:** Baker, Robert; Johnson, Jeff  
**Subject:** RE: Request for a quote to repair a Handrail on North Hancock Road

**Categories:** RJP

Robert,  
Thank you for your response. Now that I have gone back to look at the quote request form, the line item for "anchors/bolts" is listed. I am not sure where this revision came from on our end, but there is no line item associated with it in the pricing section. If these bolts/anchors are not part of the "assemblies" being installed, please let me know and we will need to prepare a contract modification to add this line item. If they are part of the "assembly" those charges are supposed to be included in the assembly price. Please advise. Thanks again for your quick response!

*Brenda L. Press*

Contracting Officer I

**Lake County Department of Public Works, Road Ops Division**

12901 County Landfill Road

Tavares, FL 32778

T: (352) 343-6439

F: (352) 742-3888

[bpress@lakecountyfl.gov](mailto:bpress@lakecountyfl.gov)

Please note: Florida has a very broad public records law. Most written communication to or from government officials regarding government/public business is public record available to the public and media upon request. Your e-mail communications may be subject to public disclosure.

---

**From:** Robert Polvere [<mailto:RPolvere@rjpent.com>]  
**Sent:** Friday, September 26, 2014 3:16 PM  
**To:** Press, Brenda  
**Subject:** RE: Request for a quote to repair a Handrail on North Hancock Road

Brenda,

The items were on the original quote sent to me. Thought on Handrail replacement this was added for the repairs as new installation usually the items are included.

Please let me know if not.

Thank you,

*ROBERT J. POLVERE*  
*President*



*R.J.P. ENTERPRISES, INC.*  
*CERT. GENERAL CONTRACTOR*  
*1722 NW 80th Blvd, Unit 50*

Gainesville, FL 32606  
PH: 352-333-9595 xt 304  
Fax: 352-333-9575  
Mob: 352-258-0000  
Email: [rpolvere@rjpent.com](mailto:rpolvere@rjpent.com)

---

**From:** Press, Brenda [<mailto:bpress@lakecountyfl.gov>]  
**Sent:** Thursday, September 25, 2014 4:34 PM  
**To:** Robert Polvere  
**Cc:** Baker, Robert; Johnson, Jeff  
**Subject:** FW: Request for a quote to repair a Handrail on North Handcock Road

Good afternoon Robert,  
After reviewing your quote for this handrail repair, it was noticed that a line has been added to the quote for anchors/bolts. Pursuant to the contract, the handrail assemblies should include mounting plates and all associated hardware such as nuts, bolts, washers, etc. Please revise the quote and we will sign and return it to you. Thank you in advance for your assistance. Have a great day! ☺

*Brenda L. Press*  
Contracting Officer I  
**Lake County Department of Public Works, Road Ops Division**  
12901 County Landfill Road  
Tavares, FL 32778  
T: (352) 343-6439  
F: (352) 742-3888  
[bpress@lakecountyfl.gov](mailto:bpress@lakecountyfl.gov)

Please note: Florida has a very broad public records law. Most written communication to or from government officials regarding government/public business is public record available to the public and media upon request. Your e-mail communications may be subject to public disclosure.

---

**From:** Baker, Robert  
**Sent:** Thursday, September 25, 2014 3:02 PM  
**To:** Press, Brenda  
**Subject:** FW: Request for a quote to repair a Handrail on North Handcock Road

fyi

*Robert Baker*  
Contract Technician

Lake County Public Works/ Road Operation  
12901 Landfill Rd. Tavares, Fl. 32778

Mailing Address: PO Box 7800, Tavares, Fl. 32778-7800

Phone: 352-343-6439  
Fax: 352-742-3888

Email: [rbaker@lakecountyfl.gov](mailto:rbaker@lakecountyfl.gov)

---

**From:** Robert Polvere [<mailto:RPolvere@rjpent.com>]  
**Sent:** Wednesday, September 17, 2014 2:10 PM  
**To:** Baker, Robert  
**Subject:** RE: Request for a quote to repair a Handrail on North Handcock Road

Bob,

Please find attached the quote on the handrail repair.

Thank you,

*ROBERT J. POLVERE*  
*President*



*R.J.P. ENTERPRISES, INC.*  
*CERT. GENERAL CONTRACTOR*  
*1722 NW 80th Blvd, Unit 50*  
*Gainesville, FL 32606*  
*PH: 352-333-9595 xt 304*  
*Fax: 352-333-9575*  
*Mob: 352-258-0000*  
*Email: [rpolvere@rjpent.com](mailto:rpolvere@rjpent.com)*

---

**From:** Baker, Robert [<mailto:rbaker@lakecountyfl.gov>]

**Sent:** Friday, September 05, 2014 4:12 PM

**To:** Robert Polvere

**Cc:** Nichole Lewis; Press, Brenda; Johnson, Jeff; Haynes, Denise; Berger, David; Nichols, Wendell; Wilkins, Temia

**Subject:** Request for a quote to repair a Handrail on North Hancock Road

Robert,

Please take a look at this information and give us a quote to repair this handrail on North Hancock Road.

Thank you;

*Robert Baker*

Contract Technician

Lake County Public Works/ Road Operation  
12901 Landfill Rd. Tavares, Fl. 32778

Mailing Address: PO Box 7800, Tavares, Fl. 32778-7800

Phone: 352-343-6439

Fax: 352-742-3888

Email: [rbaker@lakecountyfl.gov](mailto:rbaker@lakecountyfl.gov)



**LAKE COUNTY**  
FLORIDA

<b>To:</b> RJP Enterprises, Inc.	<b>From:</b> Public Works Road Operations Div.
<b>Fax:</b> 352-333-9575	<b>Phone:</b> (352) 343-6439
<b>Phone:</b> 352-333-9595	<b>Date:</b> 9/5/2014
<b>E-Mail:</b> rpolvere@rjpent.com	<b>Pages:</b> 3

**Re: 11-0604, Guardrail / Handrail Repair Service Request**

**WORK QUOTE REQUEST**

Road Name: North Hancock Road Segment Number: 2-1354-21

Guardrail Number: n/a

Location: 750 feet south of the intersection with North Ridge Blvd. on the east shoulder of Hancock Road

Nearest City: Clermont

Section: 27 Township: 22 Range: 26

Length of damage if not an end: 65' feet

Ends damaged? Yes  No

If yes, how many? \_\_\_\_\_

Comments: This quote request is for repair of a Three rail handrail

Questions should be addressed and agreed upon in writing by either the Project Manager or designee prior to the performance of work.

Approved by: Robert Baker 9-5-2014

**County Representative**

Work completed OK to Pay Date :	Invoice #	
Approved by:	Goods Received	

BP  
9/5/14