



St. Johns River Water Management District

Ann B. Shortelle, Ph.D., Executive Director

4049 Reid Street • P.O. Box 1429 • Palatka, FL 32178-1429 • (386) 329-4500
On the Internet at www.sjrwmd.com.

May 17, 2016

Lost Lake Medical Building LLC
3175 Citrus Tower Blvd
Clermont, FL 34711-6885

Re: Hancock Square
Letter Modification Number 67971-3
(Please reference the above number on any submittal)

Dear Sir/Madam:

The St. Johns River Water Management District is in receipt of your request for letter modification to Permit Number 67971-1. Based upon staff review of the information you submitted, the proposed modification qualifies for a letter modification pursuant to 40C-4.331(1)(b), Florida Administrative Code (F.A.C.). A copy of the modified permit is enclosed for your records.

Please be advised that the District has not published a notice in the newspaper to advise the public that it is issuing this letter of modification. If you do not publish a notice in the newspaper, a party's right to challenge the issuance of this letter modification extends for an indefinite period of time. If you wish to have certainty that the period of filing such a challenge is closed, then you may publish, at your own expense, such a notice in a newspaper of general circulation within the area that includes the project to which the modification applies. A copy of the form of the notice is attached for your use. If you have any questions, please contact Lindsey Porter at (407) 215-1453 or Allyson Burke at (407) 659-4860

Sincerely,

A handwritten signature in cursive script that reads "M. Daniels".

Margaret Daniels, Office Director
Office of Business and Administrative Services

Enclosures: Permit

cc: District Permit File

Consultant: Rick E McCoy
McCoy & Associates
732 4th St
Clermont, FL 34711-2206

GOVERNING BOARD

John A. Miklos, CHAIRMAN
ORLANDO

Fred N. Roberts Jr., VICE CHAIRMAN
OCALA

Chuck Drake, SECRETARY
ORLANDO

Carla Yetter, TREASURER
FERNANDINA BEACH

Douglas C. Bournique
VERO BEACH

John P. Browning, Jr.
EAST PALATKA

Douglas Burnett
ST. AUGUSTINE

Maryam H. Ghyabi
ORMOND BEACH

Ron Howse
COCOA

REGULATION OF STORMWATER MANAGEMENT SYSTEMS

CHAPTER 40C-42, F.A.C.

PERMIT NO: 67971-3

DATE ISSUED: May 17, 2016

A PERMIT AUTHORIZING:

Letter Modification of Permit Number 42-069-67971-1 for Seven-Eleven SR 50 and Hancock Road, to include the construction and operation of a 2.21- acre project known as Hancock Square, as per plans received by the District on May 3, 2016.

LOCATION:

SECTION(S): 21

TOWNSHIP(S): 22S

RANGE(S): 26E

Lake County

ISSUED TO:

Lost Lake Medical Building LLC
3175 Citrus Tower Blvd
Clermont, FL 34711-6885

This document shall serve as the formal permit for construction and operation of stormwater management system in accordance with Chapter 40C-42, F.A.C., issued by the staff of the St. Johns River Water Management District on May 17, 2016. This permit is subject to the standard limiting conditions and other special conditions approved by the staff. These conditions are enclosed.

This permit is a legal document and should be kept with your other important records. The permit requires the submittal of an As-built certification and may require submittal of other documents. All information provided in compliance with permit conditions should be submitted to the District office from which the permit was issued. An As-built certification form is attached. Complete this form within 30 days of completion of construction of the permitted system, including all site work.

Upon receipt of the As-built certification, staff will inspect the project site. Once the project is found to be in compliance with all permit requirements, the permit may be converted to its operation phase and responsibility transferred to the operation and maintenance entity in accordance with Chapter 40C-42.028, F.A.C.

Permit issuance does not relieve you from the responsibility for obtaining permits from any federal, state, and/or local agencies asserting concurrent jurisdiction over this work. Please note that if dewatering is to occur during any phase of construction or thereafter and the surface water pump(s), wells, or facilities are capable of withdrawing one million gallons of water per day or more, or an average of 100,000 gallons per day or more over a year, and any discharge is to be off-site, you must apply for and obtain a Consumptive Use Permit (40C-2) from the District prior to starting the dewatering. Please contact the District if you need additional information or application materials.

Permittee agrees to hold and save the St. Johns River Water Management District and its successors harmless from any and all damages, claims, or liabilities which may arise from permit issuance. Said application, including all plans and specifications attached thereto, is by reference made a part thereof.

This permit does not convey to permittee any property rights nor any rights of privileges other than those specified herein, nor relieve the permittee from complying with any law, regulation or requirement affecting the rights of other bodies or agencies. All structures and works installed by permittee hereunder shall remain the property of the permittee.

This permit may be revoked, modified, or transferred at any time pursuant to the appropriate provisions of Chapter 373, Florida Statutes.

In the event you sell your property, the permit will be transferred to the new owner, if we are notified by you within thirty days of the sale. Please assist us in this matter so as to maintain a valid permit for the new property owner.

Thank you for your cooperation, and if this office can be of any further assistance to you, please do not hesitate to contact us.

By: 

David Dewey
Regulatory Coordinator

Enclosures: As-built Certification Form
Exhibit A

cc: District Permit File

Consultant: Rick E McCoy
McCoy & Associates
732 4th St
Clermont, FL 34711-2206

"EXHIBIT A"
CONDITIONS FOR ISSUANCE OF PERMIT NUMBER 67971-3
Hancock Square
DATE ISSUED May 17, 2016

1. Permittee must obtain a permit from the District prior to beginning construction of subsequent phases or any other work associated with this project not specifically authorized by this permit.
2. Before any offsite discharge from the stormwater management system occurs, the retention and detention storage must be excavated to rough grade prior to building construction or placement of impervious surface within the area served by those systems. Adequate measures must be taken to prevent siltation of these treatment systems and control structures during construction or siltation must be removed prior to final grading and stabilization.
3. The permittee must maintain a copy of this permit complete with all conditions, attachments, exhibits, and permit modification in good condition at the construction site. The complete permit must be available for review upon request by District representatives. The permittee shall require the contractor to review the complete permit prior to commencement of the activity authorized by this permit.
4. All activities shall be implemented as set forth in the plans, specifications and performance criteria as approved by this permit. Any deviation from the permitted activity and the conditions for undertaking that activity shall be considered a violation of this permit.
5. District authorized staff, upon proper identification, must be granted permission to enter, inspect and observe the system to insure conformity with the plans and specifications approved by the permit.
6. Prior to and during construction, the permittee shall implement and maintain all erosion and sediment control measures (best management practices) required to retain sediment on-site and to prevent violations of state water quality standards. All practices must be in accordance with the guidelines and specifications in chapter 6 of the Florida Land Development Manual: A Guide to Sound Land and Water Management (Florida Department of Environmental Regulation 1988), which are hereby incorporated by reference, unless a project specific erosion and sediment control plan is approved as part of the permit, in which case the practices must be in accordance with the plan. If site specific conditions require additional measures during any phase of construction or operation to prevent erosion or control sediment, beyond those specified in the erosion and sediment control plan, the permittee shall implement additional best management practices as necessary, in accordance with the specification in chapter 6 of the Florida Land Development Manual: A guide to Sound Land and Water Management (Florida Department of Environmental Regulation 1988). The permittee shall correct any erosion or shoaling that causes adverse impacts to the water resources.
7. If the permitted system was designed by a registered professional, within 30 days after completion of the stormwater system, the permittee must submit to the District the following: District Form No. 40C-1.181(13) (As built Certification By a Registered Professional), signed and sealed by an appropriated professional registered in the State of Florida, and one (1) set of "As Built" drawings when a) required by a special condition of this permit, b) the professional uses "As Built" drawings to support the As Built Certification, or c) when the completed system substantially differs from permitted plans. This submittal will serve to notify the District staff that the system is ready for inspection and approval.

8. Stabilization measures shall be initiated for erosion and sediment control on disturbed areas as soon as practicable in portions of the site where construction activities have temporarily or permanently ceased, but in no case more than seven (7) days before the construction activity in that portion of the site has temporarily or permanently ceased.
9. Should any other regulatory agency require changes to the permitted system, the permittee shall provide written notification to the District of the Changes prior to implementation so that a determination can be made whether a permit modification is required.
10. Within thirty (30) days after sale or conveyance of the permitted stormwater management system or the real property on which the system is located, the owner in whose name the permit was granted shall notify the District of such change of ownership. Transfer of the permit shall be in accordance with the provisions of section 40C-1.612, F.A.C. All terms and conditions of this permit shall be binding upon the transferee. The permittee transferring the permit shall remain liable for any corrective actions that may be required as a result of any permit violations prior to such sale, conveyance or other transfer.
11. The stormwater management system must be completed in accordance with the permitted plans and permit conditions prior to the initiation of the permitted use of site infrastructure. The system must be completed in accordance with the permitted plans and permit conditions prior to transfer of responsibility for operation and maintenance of the stormwater management system to a local government or other responsible entity.
12. The operation phase of the permit shall not become effective until the permittee has submitted the appropriate As-Built Certification Form, the District determines that the system complies with the permitted plans, and the entity approved by the District in accordance with section 40C-42.027, F.A.C., accepts responsibility for operation and maintenance of the system. The permit cannot be transferred to such an approved, responsible operation and maintenance entity until the requirements of section 40C-42.028, F.A.C., are met, and the operation phase of the permit becomes effective. Following inspection and approval of the permitted system by the District in accordance with section 40C-42.028, F.A.C., the permittee shall request transfer of the permit to the responsible approved operation and maintenance entity, if different from the permittee. Until the permit is transferred pursuant to subsection 40C-42.028 (4) F.A.C., the permittee shall be liable for compliance with the terms of the permit.
13. Prior to lot or unit sales, or upon completion of construction of the system, whichever occurs first, the District must receive the final operation and maintenance document(s) approved by the District and recorded, if the latter is appropriate. For those systems which are proposed to be maintained by county or municipal entities, final operation and maintenance documents must be received by the District when maintenance and operation of the system is accepted by the local government entity, Failure to submit the appropriate final document will result in the permittee remaining personally liable for carrying out maintenance and operation of the permitted system.
14. This permit does not eliminate the necessity to obtain any required federal, state, local and special district authorizations prior to the start of any activity approved by this permit. This permit does not convey to the permittee or create in the permittee any property right, or any interest in real property, nor does it authorize any entrance upon or activities on property which is not owned or controlled by the permittee, or convey any rights or privileges other than those specified in the permit and Chapter 40C-42.028, F.A.C.
15. The permittee shall hold and save the District harmless from any and all damages, claims, or liabilities which may arise by reason of the activities authorized by the permit or any use of the permitted system.

16. The permittee shall immediately notify the District in writing of any previously submitted information that is later discovered to be inaccurate.
17. Activities approved by this permit shall be conducted in a manner which do not cause violations of state water quality standards.
18. All wetland areas or water bodies that are outside the specific limits of construction authorized by this permit must be protected from erosion, siltation, scouring or excess turbidity, and dewatering.
19. This permit for construction will expire two years from the date of issuance.
20. The proposed project shall be constructed and operated in accordance with the plans received by the District on May 3, 2016.

Notice Of Rights

1. A person whose substantial interests are or may be affected has the right to request an administrative hearing by filing a written petition with the St. Johns River Water Management District (District). Pursuant to Chapter 28-106 and Rule 40C-1.1007, Florida Administrative Code, the petition must be filed (received) either by delivery at the office of the District Clerk at District Headquarters, P. O. Box 1429, Palatka Florida 32178-1429 (4049 Reid St., Palatka, FL 32177) or by e-mail with the District Clerk at Clerk@sjrwmd.com, within twenty-six (26) days of the District depositing the notice of District decision in the mail (for those persons to whom the District mails actual notice), within twenty-one (21) days of the District emailing the notice of District decision (for those persons to whom the District emails actual notice), or within twenty-one (21) days of newspaper publication of the notice of District decision (for those persons to whom the District does not mail or email actual notice). A petition must comply with Sections 120.54(5)(b)4. and 120.569(2)(c), Florida Statutes, and Chapter 28-106, Florida Administrative Code. The District will not accept a petition sent by facsimile (fax), as explained in paragraph no. 4 below.
2. Please be advised that if you wish to dispute this District decision, mediation may be available and that choosing mediation does not affect your right to an administrative hearing. If you wish to request mediation, you must do so in a timely-filed petition. If all parties, including the District, agree to the details of the mediation procedure, in writing, within 10 days after the time period stated in the announcement for election of an administrative remedy under Sections 120.569 and 120.57, Florida Statutes, the time limitations imposed by Sections 120.569 and 120.57, Florida Statutes, shall be tolled to allow mediation of the disputed District decision. The mediation must be concluded within 60 days of the date of the parties' written agreement, or such other timeframe agreed to by the parties in writing. Any mediation agreement must include provisions for selecting a mediator, a statement that each party shall be responsible for paying its pro-rata share of the costs and fees associated with mediation, and the mediating parties' understanding regarding the confidentiality of discussions and documents introduced during mediation. If mediation results in settlement of the administrative dispute, the District will enter a final order consistent with the settlement agreement. If mediation terminates without settlement of the dispute, the District will notify all the parties in writing that the administrative hearing process under Sections 120.569 and 120.57, Florida Statutes, is resumed. Even if a party chooses not to engage in formal mediation, or if formal mediation does not result in a settlement agreement, the District will remain willing to engage in informal settlement discussions.
3. A person whose substantial interests are or may be affected has the right to an informal administrative hearing pursuant to Sections 120.569 and 120.57(2), Florida Statutes, where no material facts are in dispute. A petition for an informal hearing must also comply with the requirements set forth in Rule 28-106.301, Florida Administrative Code.

Notice Of Rights

4. A petition for an administrative hearing is deemed filed upon receipt of the complete petition by the District Clerk at the District Headquarters in Palatka, Florida during the District's regular business hours. The District's regular business hours are 8:00 a.m. – 5:00 p.m., excluding weekends and District holidays. Petitions received by the District Clerk after the District's regular business hours shall be deemed filed as of 8:00 a.m. on the District's next regular business day. The District's acceptance of petitions filed by e-mail is subject to certain conditions set forth in the District's Statement of Agency Organization and Operation (issued pursuant to Rule 28-101.001, Florida Administrative Code), which is available for viewing at floridaswater.com. These conditions include, but are not limited to, the petition being in the form of a PDF or TIFF file and being capable of being stored and printed by the District. Further, pursuant to the District's Statement of Agency Organization and Operation, attempting to file a petition by facsimile is prohibited and shall not constitute filing.
5. Failure to file a petition for an administrative hearing within the requisite timeframe shall constitute a waiver of the right to an administrative hearing. (Rule 28-106.111, Florida Administrative Code).
6. The right to an administrative hearing and the relevant procedures to be followed are governed by Chapter 120, Florida Statutes, Chapter 28-106, Florida Administrative Code, and Rule 40C-1.1007, Florida Administrative Code. Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means the District's final action may be different from the position taken by it in this notice. A person whose substantial interests are or may be affected by the District's final action has the right to become a party to the proceeding, in accordance with the requirements set forth above.
7. Pursuant to Section 120.68, Florida Statutes, a party to the proceeding before the District who is adversely affected by final District action may seek review of the action in the District Court of Appeal by filing a notice of appeal pursuant to Rules 9.110 and 9.190, Florida Rules of Appellate Procedure, within 30 days of the rendering of the final District action.
8. A District action is considered rendered, as referred to in paragraph no. 7 above, after it is signed on behalf of the District and filed by the District Clerk.
9. Failure to observe the relevant timeframes for filing a petition for judicial review as described in paragraph no. 7 above will result in waiver of that right to review.

Notice Of Rights

Certificate of Service

I HEREBY CERTIFY that a copy of the foregoing Notice of Rights has been sent to the permittee:

Lost Lake Medical Building LLC
3175 Citrus Tower Blvd
Clermont, FL 34711-6885

This 17th day of May, 2016.



Margaret Daniels, Office Director
Office of Business and Administrative Services
St. Johns River Water Management District
4049 Reid Street
Palatka, FL 32177-2529
(386) 329-4570

Permit Number: 67971-3

NOTICING INFORMATION

Dear Permittee:

Please be advised that the St. Johns River Water Management District will not publish a notice in the newspaper advising the public that it has issued a permit for this project.

Newspaper publication, using the District's notice form, notifies members of the public of their right to challenge the issuance of the permit. If proper notice is given by newspaper publication, then there is a 21-day time limit for someone to file a petition for an administrative hearing to challenge the issuance of the permit.

To close the point of entry for filing a petition, you may publish (at your own expense) a one-time notice of the District's decision in a newspaper of general circulation within the affected area as defined in Section 50.011 of the Florida Statutes. If you do not publish a newspaper notice to close the point of entry, the time to challenge the issuance of your permit will not expire and someone could file a petition even after your project is constructed.

A copy of the notice form and a partial list of newspapers of general circulation are attached for your convenience. However, you are not limited to those listed newspapers. If you choose to close the point of entry and the notice is published, the newspaper will return to you an affidavit of publication. In that event, it is important that you either submit a scanned copy of the affidavit by emailing it to compliancesupport@sjrwmd.com (preferred method) or send a copy of the original affidavit to:

Margaret Daniels, Office Director
Office of Business and Administrative Services
4049 Reid Street
Palatka, FL 32177

If you have any questions, please contact the Office of Business and Administrative Services at (386) 329-4570.

Sincerely,



Margaret Daniels, Office Director

Office of Business and Administrative Services

NOTICE OF AGENCY ACTION TAKEN BY THE
ST. JOHNS RIVER WATER MANAGEMENT DISTRICT

Notice is given that the following permit was issued on _____:

(Name and address of applicant) _____
permit# _____. The project is located in _____ County, Section
_____, Township _____ South, Range _____ East. The permit authorizes a surface
water management system on _____ acres for
_____ known as
_____. The receiving water body is _____.

A person whose substantial interests are or may be affected has the right to request an administrative hearing by filing a written petition with the St. Johns River Water Management District (District). Pursuant to Chapter 28-106 and Rule 40C-1.1007, Florida Administrative Code (F.A.C.), the petition must be filed (received) either by delivery at the office of the District Clerk at District Headquarters, P.O. Box 1429, Palatka FL 32178-1429 (4049 Reid St, Palatka, FL 32177) or by e-mail with the District Clerk at Clerk@sjrwm.com, within twenty-one (21) days of newspaper publication of the notice of District decision (for those persons to whom the District does not mail or email actual notice). A petition must comply with Sections 120.54(5)(b)4. and 120.569(2)(c), Florida Statutes (F.S.), and Chapter 28-106, F.A.C. The District will not accept a petition sent by facsimile (fax). Mediation pursuant to Section 120.573, F.S., may be available and choosing mediation does not affect your right to an administrative hearing.

A petition for an administrative hearing is deemed filed upon receipt of the complete petition by the District Clerk at the District Headquarters in Palatka, Florida during the District's regular business hours. The District's regular business hours are 8 a.m. – 5 p.m., excluding weekends and District holidays. Petitions received by the District Clerk after the District's regular business hours shall be deemed filed as of 8 a.m. on the District's next regular business day. The District's acceptance of petitions filed by e-mail is subject to certain conditions set forth in the District's Statement of Agency Organization and Operation (issued pursuant to Rule 28-101.001, Florida Administrative Code), which is available for viewing at floridaswater.com. These conditions include, but are not limited to, the petition being in the form of a PDF or TIFF file and being capable of being stored and printed by the District. Further, pursuant to the District's Statement of Agency Organization and Operation, attempting to file a petition by facsimile (fax) is prohibited and shall not constitute filing.

The right to an administrative hearing and the relevant procedures to be followed are governed by Chapter 120, Florida Statutes, Chapter 28-106, Florida Administrative Code, and Rule 40C-1.1007, Florida Administrative Code. Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means the District's final action may be different from the position taken by it in this notice. **Failure to file a petition for an administrative hearing within the requisite time frame shall constitute a waiver of the right to an administrative hearing. (Rule 28-106.111, F.A.C.).**

If you wish to do so, please visit http://floridaswater.com/nor_dec/ to read the complete Notice of Rights to determine any legal rights you may have concerning the District's decision(s) on the permit application(s) described above. You can also request the Notice of Rights by contacting the Director of Regulatory Support, 4049 Reid St., Palatka, FL 32177-2529, tele. no.

NEWSPAPER ADVERTISING

ALACHUA

The Alachua County Record, Legal Advertising
P. O. Box 806
Gainesville, FL 32602
352-377-2444/ fax 352-338-1986

BRAFORD

Bradford County Telegraph, Legal Advertising
P. O. Drawer A
Starke, FL 32901
904-964-6305/ fax 904-964-8628

CLAY

Clay Today, Legal Advertising
1560 Kinsley Ave., Suite 1
Orange Park, FL 32073
904-264-3200/ fax 904-264-3285

FLAGLER

Flagler Tribune, c/o News Journal
P. O. Box 2831
Daytona Beach, FL 32120-2831
386-681-2322

LAKE

Daily Commercial, Legal Advertising
P. O. Drawer 490007
Leesburg, FL 34749
352-365-8235/fax 352-365-1951

NASSAU

News-Leader, Legal Advertising
P. O. Box 766
Fernandina Beach, FL 32035
904-261-3696/fax 904-261-3698

ORANGE

Sentinel Communications, Legal Advertising
633 N. Orange Avenue
Orlando, FL 32801
407-420-5160/ fax 407-420-5011

PUTNAM

Palatka Daily News, Legal Advertising
P. O. Box 777
Palatka, FL 32178
386-312-5200/ fax 386-312-5209

SEMINOLE

Seminole Herald, Legal Advertising
300 North French Avenue
Sanford, FL 32771
407-323-9408

BAKER

Baker County Press, Legal Advertising
P. O. Box 598
Maclenny, FL 32063
904-259-2400/ fax 904-259-6502

BREVARD

Florida Today, Legal Advertising
P. O. Box 419000
Melbourne, FL 32941-9000
321-242-3832/ fax 321-242-6618

DUVAL

Daily Record, Legal Advertising
P. O. Box 1769
Jacksonville, FL 32201
904-356-2466 / fax 904-353-2628

INDIAN RIVER

Vero Beach Press Journal, Legal Advertising
P. O. Box 1268
Vero Beach, FL 32961-1268
772-221-4282/ fax 772-978-2340

MARION

Ocala Star Banner, Legal Advertising
2121 SW 19th Avenue Road
Ocala, FL 34474
352-867-4010/fax 352-867-4126

OKEECHOBEE

Okeechobee News, Legal Advertising
P. O. Box 639
Okeechobee, FL 34973-0639
863-763-3134/fax 863-763-5901

OSCEOLA

Little Sentinel, Legal Advertising
633 N. Orange Avenue
Orlando, FL 32801
407-420-5160/ fax 407-420-5011

ST. JOHNS

St. Augustine Record, Legal Advertising
P. O. Box 1630
St. Augustine, FL 32085
904-819-3436

VOLUSIA

News Journal Corporation, Legal Advertising
P. O. Box 2831
Daytona Beach, FL 32120-2831
(386) 681-2322