



# St. Johns River

## Water Management District

Kirby B. Green III, Executive Director • David W. Fisk, Assistant Executive Director

---

4049 Reid Street • P.O. Box 1429 • Palatka, FL 32178-1429 • (386) 329-4500  
On the Internet at [www.sjrwmd.com](http://www.sjrwmd.com).

May 1, 2007

Ann Griffin  
33428 Picciola Dr.  
Fruitland Park, FL 34731

SUBJECT: Interested Person  
Lake County

Dear Sir/Madam:

In compliance with your request for notice of applications received in the above referenced counties, enclosed is a copy of Section C - Environmental Resource Permit Notice of Receipt of Application and a location map for each permit application applied for within the above referenced counties.

Permit applications under the Individual section are Individual permit applications that require the District Governing Board to act on (approve or deny) the application. For these applications, you are advised to notify the District within 14 days of receipt of this letter of any questions, objections, comments or information regarding the proposed system. Those who file a written request for further information regarding the permit application will be furnished the information requested prior to the Governing Board meeting at which the application will be considered.

Permit applications under the General section beginning with "42" or "40" are Standard General permit applications that are issued from the Service Centers. For these applications, any substantial objections to the permit application must be made in writing and filed with (received by) the District Clerk, located at P.O. Box 1429, Palatka, Florida 32178-1429, on or before 14 days from date of posting of the notice of receipt of application. The posting date is shown on the bottom of Section C in the shaded block designated as "For Agency Use Only", and adjacent to "Date to be posted". A substantial objection means a written statement directed to the District which identifies the objector, concerns hydrologic or environmental impacts of the proposed activity and relates to applicable rule criteria. If a substantial objection is received, the procedures applicable to an Individual permit application will be followed. The receipt of a substantial objection will entitle you to an individual notice prior to the Governing Board meeting at which the application will be considered.

---

### GOVERNING BOARD

David G. Graham, CHAIRMAN  
JACKSONVILLE

John G. Sowinski, VICE CHAIRMAN  
ORLANDO

Ann T. Moore, SECRETARY  
BUNNELL

Duane L. Ottenstroer, TREASURER  
JACKSONVILLE

R. Clay Albright  
OCALA

Susan N. Hughes  
PONTE VEDRA

William W. Kerr  
MELBOURNE BEACH

Ometrias D. Long  
APOPKA

W. Leonard Wood  
FERNANDINA BEACH

Permit applications under the General section beginning with "400" are Noticed General Permit applications. For these applications, any objections as to whether the proposed activity qualifies for the requested noticed general permit must be made in writing and filed with (received by) the District Clerk, P.O. Box 1429, Palatka, Florida, 32178-1429, on or before 14 days from date of posting of the notice receipt of application. The posting date is shown on the bottom of Section C in the shaded block designated as "For Agency Use Only", and adjacent to "Date to be posted". If no timely objections are received, District staff will notify the applicant within 30 days from the date of receipt of notice of intent, whether the proposed activity qualifies for the requested Noticed General permit. If timely objections are received, the procedures applicable to an Individual permit application will be followed in determining compliance with the terms of the Noticed General Permit. As compared to Notice General permit procedures, procedures for Individual permits require that the District Governing Board act on (approve or deny) the application.

Sincerely,



Gloria Lewis, Director  
Division of Permit Data Services

cc: District Permit File(s)

Enclosures: (copy of Section C location map)

**General**

40-069-68272-14			
-----------------	--	--	--