

Residential Driveway Apron Permit Application

and statement of the st	Me Colo Vendo	and the same and
Wedniss was passes		The state of the sale or other
The state of the s	LAKE COUNTY PUBLIC WORKS DEPARTMENT	-

(Please	Print or Type)		
Date: 05/11/18 Bldg Permit No	LAKE COUNTY PUBLIC WORKS DEPARTM		
Dodd McDowell	1672759 ,06 ,18 ,24		
Applicant/ Name Permit Will Be Returned To:	Alt. Key# Section Township Range		
1020 Lake Sumter Landing	812 TRUMAN AVE, Lady Lake 32159		
Applicant's Street Address	House Number / Road Name		
The Villages, FL 32162	Orange Blossom Gardens		
Applicant's City, State, Zip	Subdivision Name		
This lightful prints signed by Good McDowell Distribution McDowell on Hothories on	Dodd McDowell		
Signature of Applicant Phone Number	Applicant, Please Print Name		
tracy.waterman@agewavesolutions.com	CGC1507683		
Applicant's e-mail address	Contractor License # (Required unless built by owner)		
install a temporary construction entrance within the public	ray, modify an existing driveway to meet county requirements, or rights-of-way of County maintained roads. Issuance of a driveway zoning, land use changes, or site improvements. The owner must		
Driveway must be constructed in accordance with the Lake County Land Development Regulations and as shown on the attached sketch. Applicant holds Lake County harmless from all damages, claims, or injuries which may result from such work. Any deviation from the attached sketch must first be approved in writing by Lake County Public Works Department. Please see attached minimum requirement details for specifications. Check one: Clay Road – No apron required – culvert pipe may be required – sod all disturbed areas. Paved Road – Option 1: 6" limerock base and minimum 1" Type S-III Asphalt. Option 2: 6"reinforced concrete (3000 PSI) using 10 foot square of 6" x 6" wire mesh placed a minimum of 10' from edge of existing pavement. Culvert pipe may be required – Sod all disturbed areas.			
In areas where sidewalks are present or planned, the driveway must include a minimum 4 foot wide path traversing the driveway apron (at a maximum 1.5% cross slope) in compliance with ADA requirements.			
County Road # 7802C To be com	pleted by County Staff		
Driveway Permit Fee: \$50.00 Check/Transaction #:	Croff and Date: 7/11/18 Fee Code: PUBSV1		
Permit # 15409 Maint Area: 1 Si	gned: Date Approved:		
Permit Shall Expire One (1) Year From Date Approved	d Date Expired:		
Date of Final Inspection: Inspector:			
Comments or special conditions:			
The design has been reviewed and upon completion should meet the regulations and requirements as noted on this application. The driveway shall be constructed per approved subdivision plans if applicable. For inspection of a driveway associated with a building permit, call Lake County Building Services Division at 352-343-9634. For inspection of a joint (Common Split) driveway or a driveway not associated with a building permit, call Lake County Public Works Department at 352-253-6019. Submit permit to: Lake County Public Works, Post Office Box 7800, Tavares, FL 32778			
Public Works Department Road Operations Division	7/13/18 Residential Driveway Apron Permit 7/13/18 Effective February 2017		



Residential Driveway Apron Permit Application Requirements

To be completed by County Staff		
Single Family Driveway (standard A)Joint Driveway (Common/Split) (standard B)	Permit Number	
 □ Driveway apron as Swale Check (standard C) □ Piped Driveway apron (standard D) □ Driveway apron conforming to Grade or Swale (standard E) 		
□ Driveway apron with Miami Curb & Gutter (standard M)□ Driveway apron with Standard Curb & Gutter (standard S)		
*The applicable driveway apron standard will be included with approved per	mit that is sent to applicant. *	

- 1. Sidewalks must be constructed per FDOT Index 310, with maximum cross slope of 1.5%, 6 inches minimum thickness. (See detail on attachment).
- 2. To conform to sidewalk requirements, subdivision construction plans are available for review in the Lake County Public Works Department located at 323 N. Sinclair Avenue in Tavares.
- 3. Driveways are not permitted in the radius return of an intersection. With the exception of joint driveways, driveway aprons must be 100 feet from the nearest intersecting road and 10 feet from the nearest property corner. The driveway width at the property line may not exceed 24 feet (10 feet minimum) and shall include either the standard minimum radius of 8 feet or 8 foot long by 4 foot wide flares on either side of the driveway, for a maximum width of 32' at the edge of the roadway. Variance requests should be submitted to the Lake County Public Works Department.
- 4. Pavers installed as a driveway apron are the resident's responsibility to maintain, replace and/or repair. If pavers are removed to facilitate Lake County and/or a utility company to perform utility installation and/or maintenance, the paver(s) used as replacements may not be able to be matched.
- 5. If a culvert pipe is required, it shall be the same diameter of existing culverts in neighborhood. If there are no other culverts in the neighborhood, the culvert pipe shall be a minimum of 15 inches in diameter and a minimum of 30 feet in length measured from the end of miter to the end of miter. All right-of-way must be restored to its original condition and in accordance to applicable Lake County Codes. All disturbed areas must be sodded, matching existing grass type. Applicant shall be responsible for sod until it is established.
- 6. Driveway apron slope may not exceed 14%. Variance requests should be submitted to the Lake County Public Works Department. In areas where sidewalks are present or planned, the driveway must include a minimum 4 foot wide path traversing the driveway apron (at a maximum 1.5% cross slope) in compliance with ADA requirements.
- 7. Driveway permit shall expire one (1) year from date approved.
- 8. Driveway Apron Permit Application shall include a check made payable to the Lake County Board of County Commissioners (BOCC).

I have read and understand the above requirements

Digitally signed by Dodd McDowell


DN: cn=Dodd McDowell, o=McDowell Construction, ou, email=codd.mcdowell@thevillages.com, c=US
Date: 2018.05.11 10:20:14 - 04'00'

Applicant's Signature/Date

Mad ushwell

Public Works Department Road Operations Division Residential Driveway Apron Permit Effective February 2017





TOTAL IMPERVIOUS AREA		
TOTAL LOT AREA		5895.82
TOTAL COVERED AREA		2482
PERCENT COVERED		42.1%
	COVERED AREA CALCULATIONS (MITHIN PROPERTY LINES)	
NOTE	HOME AREA	1945
LOT SQUARE FOOTAGE	DRIVEWAY AREA	323
TAKEN FROM-	SIDEWALK AREA	106
LAKE COUNTY PROPERTY	PATIO/PAD AREA	108
APPRAISER'S OFFICE	SCREEN ENCL AREA	0
HTTP://WWW.LAKECOPROPAPPR.COM/	TOTAL COVERED AREA	2482

TOTAL CONC. SQ FTG. IN EASEMENT: 231 SQ, FT

The Willages	
THE VALLACES IS A RECISTERED TRUCKING OF HOLDING COMPANY OF THE VALLACES, NO. ALL RIGHTS RESERVED.	ľ

	COTTAGE SERIES	ĺ
	SANDPIPER III	ŀ
1	UNIT & LOT	ł
	3-140	į
	STREET: 812 TRU	M

SCALE: 1/8"=1'-0"	1	
DRAWN BY: TT/JF	1	
CHECKED BY: MAB/KK	1	
SAVE DATE: 8/0/2018/2:06:43 PM]	
PLOT DATE: M10/2018 1.50.03 PM]	
IAN AVE		

1	REVISIONS			
j	DATE PAGES	DESCRIPTION	-CLIMAT -GARAG	
ł			-LANAI -ENTRY	
1			-	

REA CALCULATIONS		BUILDING OFFICIAL
E	AREA	The state of the s
ATÉ CONTROLLED	1370 BF	i .
/GE	438 BF	I.
l	113 SF	
RY	25 SF	
	1945 SF	

ľ	A	SITE PLAN
	340 HEALD WAY, SUITE 212 340 HEALD WAY, SUITE 212 THE VILLAGES, FLORIDA 32163 PH (327) 391-9689 - FAX (327) 391-9688 COA A-826022715 - OA2 28711	1
ı	KEVIN L. ATCHLEY, P.E. FLA. LIC. NO. 63119	05.0

OF 9

07/17/2018

RECEIPT

LAKE COUNTY BOCC 315 W MAIN ST Tavares , FL 32778 Phone

Transaction Type: Sale

Comment:

Merchant-Defined Data Fields

Merchant-Defined Data Field 1: Residential Driveway Apron Permits (11)

Department: Public Works

Merchant-Defined Data Field 3: 5056260.341213

Total: 555.50 USD

Cardholder Information

Name Randall Thompson Credit Card Type: MasterCard

Credit Card Number: ###########1876

Company: Agewave Solutions, Inc.

Phone: 3523919669

Email: tracy.waterman@agewavesolutions.com