

Residential Driveway Apron Permit

9	Application	State of 2	u .0
	Drint or Type)		. ·

(Please Print or Type)
Bldg Permit No. 2018070664

Kenneth Smith	39/0921, 13 , 24 , 26				
Kenneth Smith (1) () Applicant/ Name Permit Will Be Returned To:	Alt. Key# Section Township Range				
4901 Vineland Road	17369 Painted Leaf Way				
Applicant's Street Address	House Number / Road Name				
Orlando, FL 32811	SERENOA , Lot 429				
Applicant's City, State, Zip	Subdivision Name				
407-661-2161	Kenneth Smith				
Signature of Applicant Phone Number	Applicant, Please Print Name				
NFLPermitting@Pulte.com Applicant's e-mail address	CGC 1520694				
	Contractor License # (Required unless built by owner)				
A driveway permit is required to construct a new driveway, modify an existing driveway to meet county requirements, or install a temporary construction entrance within the public rights-of-way of County maintained roads. Issuance of a driveway permit does not vest any rights to the property owner for zoning, land use changes, or site improvements. The owner must follow all County procedures for permitting.					
Driveway must be constructed in accordance with the Lake County Land Development Regulations and as shown on the attached sketch. Applicant holds Lake County harmless from all damages, claims, or injuries which may result from such work. Any deviation from the attached sketch must first be approved in writing by Lake County Public Works Department. Please see attached minimum requirement details for specifications. Check one:					
Clay Road - No apron required - culvert pipe may					
concrete (3000 PSI) using 10 foot square of $6'' \times 6'' \times 10^{-5}$	Paved Road — Option 1: 6" limerock base and minimum 1" Type S-III Asphalt. Option 2: 6"reinforced concrete (3000 PSI) using 10 foot square of 6" x 6" wire mesh placed a minimum of 10' from edge of existing				
pavement. Culvert pipe may be required – Sod all disturbed areas.					
pavement. Culvert pipe may be required – Sod all dist	turbed areas.				
pavement. Culvert pipe may be required — Sod all dist	turbed areas. eway must include a minimum 4 foot wide path traversing the				
In areas where sidewalks are present or planned, the drividriveway apron (at a maximum 1.5% cross slope) in compliant	turbed areas. eway must include a minimum 4 foot wide path traversing the				
In areas where sidewalks are present or planned, the drividriveway apron (at a maximum 1.5% cross slope) in compliant	eway must include a minimum 4 foot wide path traversing the nee with ADA requirements.				
In areas where sidewalks are present or planned, the driveway apron (at a maximum 1.5% cross slope) in compliant County Road #	eway must include a minimum 4 foot wide path traversing the nee with ADA requirements. Seted by County Staff W3 40 6 Date: 3/3/8 Fee Code: PUBSV1				
In areas where sidewalks are present or planned, the driveway apron (at a maximum 1.5% cross slope) in compliant County Road # To be completed. Driveway Permit Fee: \$50.00 Check/Transaction #: 50.00	eway must include a minimum 4 foot wide path traversing the nee with ADA requirements. Seted by County Staff 43 40 6 Date: 15/1/18 Fee Code: PUBSV1				
In areas where sidewalks are present or planned, the drived driveway apron (at a maximum 1.5% cross slope) in compliant County Road #	eway must include a minimum 4 foot wide path traversing the nice with ADA requirements. Leted by County Staff W3 40 6 Date: 13/3/8 Fee Code: PUBSV1 Date Approved:				
In areas where sidewalks are present or planned, the drive driveway apron (at a maximum 1.5% cross slope) in compliant County Road #	eway must include a minimum 4 foot wide path traversing the nee with ADA requirements. eted by County Staff 43 40 6 Date: 3/3//3 Fee Code: PUBSV1 ed: Date Approved:				
In areas where sidewalks are present or planned, the drive driveway apron (at a maximum 1.5% cross slope) in compliant County Road #	eway must include a minimum 4 foot wide path traversing the nee with ADA requirements. Leted by County Staff Date: 1/3//3 Fee Code: PUBSV1 Ed: Date Approved: Date Expired: Ould meet the regulations and requirements as noted on this oproved subdivision plans if applicable. For inspection of a new County Building Services Division at 352-343-9634. For				
In areas where sidewalks are present or planned, the driveway apron (at a maximum 1.5% cross slope) in compliant County Road #	eway must include a minimum 4 foot wide path traversing the nee with ADA requirements. Leted by County Staff Way to be Date: 1/3//3 Fee Code: PUBSV1 Led: Date Approved: Date Expired: Date Expired: Dorroved subdivision plans if applicable. For inspection of a				
In areas where sidewalks are present or planned, the drive driveway apron (at a maximum 1.5% cross slope) in compliant County Road #	eway must include a minimum 4 foot wide path traversing the nice with ADA requirements. Leted by County Staff Later Date: 1/3//3 Fee Code: PUBSV1 Led: Date Approved: Date Expired: Date Expired: Date Expired: Ould meet the regulations and requirements as noted on this oppoved subdivision plans if applicable. For inspection of a new County Building Services Division at 352-343-9634. For eway not associated with a building permit, call Lake County ermit to: Lake County Public Works, Post Office Box 7800, Residential Driveway Apron Permit				
In areas where sidewalks are present or planned, the drived driveway apron (at a maximum 1.5% cross slope) in compliant to the complex of the	eway must include a minimum 4 foot wide path traversing the nee with ADA requirements. Eted by County Staff H3 40 6 Date: 1/3/8 Fee Code: PUBSV1 Ed:				
In areas where sidewalks are present or planned, the driveway apron (at a maximum 1.5% cross slope) in compliant County Road #	eway must include a minimum 4 foot wide path traversing the new with ADA requirements. Seted by County Staff 13406 Date: 1/3/18 Pee Code: PUBSV1 Date Approved: Date Expired: Date Expired: Date County Building Services Division at 352-343-9634. For eway not associated with a building permit, call Lake County ermit to: Lake County Public Works, Post Office Box 7800, Residential Driveway Apron Permit Effective February 2017				

ined to Client ___



Residential Driveway Apron Permit Application Requirements

Ī						
		To be completed by County Staff Single Family Driveway (standard A) Joint Driveway (Common/Split) (standard B) ZOUSO**[Ould Permit Number]				
		Driveway apron as Swale Check (standard C) Piped Driveway apron (standard D) Driveway apron conforming to Grade or Swale (standard E)				
		Driveway apron with Miami Curb & Gutter (standard M) Driveway apron with Standard Curb & Gutter (standard S)				
	<u>*Th</u>	e applicable driveway apron standard will be included with approved permit that is sent to applicant. *				
-	1.	Sidewalks must be constructed per FDOT Index 310, with maximum cross slope of 1.5%, 6 inches minimum thickness. (See detail on attachment).				
	2.	To conform to sidewalk requirements, subdivision construction plans are available for review in the Lake County Public Works Department located at 323 N. Sinclair Avenue in Tavares.				
-	3.	Driveways are not permitted in the radius return of an intersection. With the exception of joir driveways, driveway aprons must be 100 feet from the nearest intersecting road and 10 feet from the nearest property corner. The driveway width at the property line may not exceed 24 feet (1 feet minimum) and shall include either the standard minimum radius of 8 feet or 8 foot long by foot wide flares on either side of the driveway, for a maximum width of 32' at the edge of the roadway. Variance requests should be submitted to the Lake County Public Works Department.				
	4.	Pavers installed as a driveway apron are the resident's responsibility to maintain, replace and/or repair. If pavers are removed to facilitate Lake County and/or a utility company to perform utility installation and/or maintenance, the paver(s) used as replacements may not be able to be matched				
	5. If a culvert pipe is required, it shall be the same diameter of existing culverts in neighborhood, there are no other culverts in the neighborhood, the culvert pipe shall be a minimum of 15 inches diameter and a minimum of 30 feet in length measured from the end of miter to the end of miter All right-of-way must be restored to its original condition and in accordance to applicable Lal County Codes. All disturbed areas must be sodded, matching existing grass type. Applicant shall it responsible for sod until it is established.					
_	6.	Driveway apron slope may not exceed 14%. Variance requests should be submitted to the Lak County Public Works Department. In areas where sidewalks are present or planned, the driveway must include a minimum 4 foot wide path traversing the driveway apron (at a maximum 1.5% crosslope) in compliance with ADA requirements.				
	7.	Driveway permit shall expire one (1) year from date approved.				
	8	Driveway Apron Permit Application shall include a check made payable to the Lake County Board of County Commissioners (BOCC).				
	I have read and understand the above requirements					
		Applicant's Signature/Date				

Public Works Department Road Operations Division Residential Driveway Apron Permit Effective February 2017

PLOT PLAN FOR Description: Lot 16, WINDY RIL AVEX HOMES, LLC Plat Book 59, Pages 43, 44, 4	DGE, according to the plat thereof as recorded in 45 & 46, of the public records of Lake County, Florida.
TRACT LOT 16 IS ON PAGE 46 COMMON AREA,	LANDSCAPE, /, / ()
DRAINAGE & NOTICE TO OWNER AND CONTRACTOR The issuance of a zoning clearance despite assure that the setbacks have appropriate that the development does not encourage out an easement. The owners and/or	V ()1)
contractor have the sole responsibility of compliance with serbacks and no enbroachment of easement and are responsible for bringing the property into compliance. I hereby certify that the costs associated with meeting the	10' BSL
sebacks or restoring assments are my responsibility. No grass (except Bahiagrass) can cover more than 60% of the previous landscape area and all grass must be irrigated separately.	funderstand that I have to meet all lot grading requirements as established in Chippter 9 of the Land Dovelorment Regulations, I also certify that my
ZONING HEALTH DEPT BUILDING Owner's Signature Date Contractor's Signature Date	development shell not adversely affect surrounding or downstream welfands, floodplains or neighboring properties,
19.00'	Owner Applicant Signature
2981 CONFRED 16 CUMM 12.67	37,33"
(MM 75)	50.00' I understand that I shall meet all Single-Family requirements as established in LDR 3.01 02(A-Residential-Uses Classification of Uses.
LOT 17 10' 18'	FINISHED FLOOR ELEVATION=121.10 DRAINAGE TYPE "C" Owner/Applicant Signature
	10' BSL M M
81,250 00N 11.33' 08 12.33	26,34 (11.00) (27) (13.00) (27) (13.00) (27) (13.00) (
Water Line	CONC. DRIVE
3.5' TO W. 1851 150	
WATER SERVICE S8912'32"W	P. P
BM PROPOSED CONG WALK	(Min 25)
ADDRESS: SCENIC BLUI 9 P.I. S5912'3	FF DRIVE
NOTES: 1. BEARINGS ARE BASED ON THE CENTERLINE OF SCENCE BLUFF DRIVE BEING S8912'32"W. 2. BULLDING TIES ARE TO FOUNDATION 3. BLEVATIONS ARE BASED ON ENGINEERING PLANS FOR WINDY, RIGGE.	BASED ON THE FEDERAL EMERGENCY HANAGEMENT ACENCY FLOOD INSURANCE RATE MAP, LOT 16 LIES IN ZONE "X". COMMUNITY PAREL NO. 12042 0215 E
0' 5' 10' 20'	MAP REVISION DATE: DECEMBER 18, 2012. LOT 16 CONTAINS (SUBLECT TO CHANGE) ARRAS WITHIN LOT-
SCALE 1"= 20' ABBREVIATIONS/LEGEND LeLICENSED BUSINESS ARC-ARC LENOTH THIS SURVEY MEETS THE "STANDARDS OF PRACTICE" AS RE-	SUILDING, PORCHES & JA29 SQ. FT. SITE DRIVENS: 7.45 SQ.FT. DRIVENS: 7.45 SQ.FT. ENTRY WALK: 41 SQ.FT. ACP PAGE 12 SQ.FT. SOC: 7.497 SQ.FT.
CHAPTER 5J-17, BOARD OF PROFESSIONAL SURVEYORS AND R -RADIUS PURSUANT TO SECTION 472,027 OF THE FLORIDA STATUTES.	D MAPPERS I MAPPERS NAME NO RESERVATIONS OF CHARANTEES AS TO THE INFORMATION REFLECTED (CK UNES AGGESTION TO A DOTTER MATTERS, AND FURTHER THIS INSTRUMENT IS NOT SUCH INFORMATION SHOULD BE ORTANCED AND COMPINED BY OTHERS THROUGH APPROPRIATE.
P.R.CPOINT OF REVERSE CURVATURE D.A.M.EPOINT OF REVERSE CURVATURE D.A.M.EPOINT OF REVERSE CURVATURE D.A.M.EPOINT OF REVERSE CURVATURE LASE.E. UTILITY & SIDEWALK LASE.E. UTILITY & SIDEWALK LASE.E. UTILITY & SIDEWALK	THIS SURVEY NOT VALID UNKESS EMBOSSED REMSON DATE DRAWN MIT THE SIGNATURE AND PAUSED SALOF A FLORIDA LICENSED SURVEYOR AND MAPPER CINCOVONESION. THE
LAND SURVEYORS AND MAPPERS U.E.— UTILITY EASEMENT D.E.— DRANNAGE EASEMENT Q.— CENTERUNE CONC—CONCRETE FFE—FINISHED FLOOR ELEVATION	DOUMCK F. CAYONE — PRESIDENT FLORIDA SURVEYOR & MAPPER NUMBER 2005 LICENSED BUSINESS NUMBER L8.5073 PLOT.PLAN 5-16-2018 KCC
BSL-BUILDING SETBACK UNE	W.O. 2018-335