

**Marchese, Deborah**

---

**From:** Scott, Jimmy  
**Sent:** Monday, May 23, 2016 3:02 PM  
**To:** 'Chris Gallagher'; GBracken@pospiechcontracting.com; Robert Rudd (rrudd@tierraeng.com)  
**Cc:** Hinton, Joseph; Marchese, Deborah  
**Subject:** FW: RRFB Info / 15017

Chris/ Gary,

Fred is back and has asked a question about the ped's, see below let me know what you think.  
Thanks.

-----Original Message-----

From: Schneider, Fred  
Sent: Monday, May 23, 2016 2:52 PM  
To: Scott, Jimmy <JScott@lakecountyfl.gov>  
Subject: RE: RRFB Info / 15017

The bulldog button with LED and two tone beep. Should be fine. We don't need an audible voice. That's a lot less cost right?

Thank you,

Fred

-----Original Message-----

From: Scott, Jimmy  
Sent: Monday, May 23, 2016 2:23 PM  
To: Schneider, Fred <FSchneider@lakecountyfl.gov>  
Subject: FW: RRFB Info / 15017

Fred,

Just realized you were not copied on this. Please review, it seems to me that this would be what we are looking for.  
Let me know your thoughts.  
Thanks.

-----Original Message-----

From: Chris Gallagher [mailto:c.gallagher@tcd-usa.com]  
Sent: Wednesday, May 18, 2016 8:08 AM  
To: Scott, Jimmy <JScott@lakecountyfl.gov>  
Cc: Robert Rudd <rrudd@tierraeng.com>; GBracken@pospiechcontracting.com; Kirkland, Alan <akirkland@lakecountyfl.gov>; Koontz, Lori <LKoontz@lakecountyfl.gov>; Hinton, Joseph <jhinton@lakecountyfl.gov>; Marchese, Deborah <DMarchese@lakecountyfl.gov>; 'Scott Smith' (ssmith@pospiechcontracting.com) <ssmith@pospiechcontracting.com>; Jeffrey Begovich <jbegovich@tierraeng.com>; Dietz, Denis <DDietz@lakecountyfl.gov>; Globig, James <jglobig@lakecountyfl.gov>; Carlotta Paryika (c.partyka@tcd-usa.com) <c.partyka@tcd-usa.com>

Subject: RE: RRFB Info / 15017

Terry,

The bulldog button gives an LED indication that you've pushed the button and a two-tone beep for this type of unit. The audible ped button you can use a standard voice message that will last the duration of the programmed time to cross.

Thanks Chris

-----Original Message-----

From: Scott, Jimmy [mailto:JScott@lakecountyfl.gov]

Sent: Wednesday, May 18, 2016 8:03 AM

To: Chris Gallagher

Cc: Robert Rudd; GBracken@pospiechcontracting.com; Kirkland, Alan; Koontz, Lori; Hinton, Joseph; Marchese, Deborah; 'Scott Smith' (ssmith@pospiechcontracting.com); Jeffrey Begovich; Dietz, Denis; Globig, James; Carlotta Paryika (c.partyka@tcd-usa.com) (c.partyka@tcd-usa.com)

Subject: RE: RRFB Info / 15017

Chris,

I want to be sure I'm clear on this. What we have on order right now will beep when the button is pushed and will only beep for a few seconds with the lights continuing to flash. The quote below will provide an audible beep for the entire duration of the lights flashing.

Thanks for all your help with this.

-----Original Message-----

From: Chris Gallagher [mailto:c.gallagher@tcd-usa.com]

Sent: Tuesday, May 17, 2016 6:49 PM

To: Scott, Jimmy <JScott@lakecountyfl.gov>

Cc: Robert Rudd <rdudd@tierraeng.com>; GBracken@pospiechcontracting.com; Kirkland, Alan <akirkland@lakecountyfl.gov>; Koontz, Lori <LKoontz@lakecountyfl.gov>; Hinton, Joseph <jhinton@lakecountyfl.gov>; Marchese, Deborah <DMarchese@lakecountyfl.gov>; 'Scott Smith' (ssmith@pospiechcontracting.com) <ssmith@pospiechcontracting.com>; Jeffrey Begovich <jbegovich@tierraeng.com>; Dietz, Denis <DDietz@lakecountyfl.gov>; Globig, James <jglobig@lakecountyfl.gov>; Carlotta Paryika (c.partyka@tcd-usa.com) (c.partyka@tcd-usa.com) <c.partyka@tcd-usa.com>

Subject: RE: RRFB Info / 15017

Terry,

The audible pushbutton additional direct material cost is \$2,200.18 each for a total of \$8,800.72. Let us know if you want these units or if you prefer to stick with the bulldog style buttons originally quoted.

Thanks Chris

-----Original Message-----

From: Chris Gallagher

Sent: Monday, May 16, 2016 6:19 PM

To: 'Scott, Jimmy'

Cc: Robert Rudd; GBracken@pospiechcontracting.com; Kirkland, Alan; Koontz, Lori; Hinton, Joseph; Marchese, Deborah; 'Scott Smith' (ssmith@pospiechcontracting.com); Jeffrey Begovich; Dietz, Denis; Globig, James; Carlotta Paryika (c.partyka@tcd-usa.com) (c.partyka@tcd-usa.com)

Subject: RE: RRFB Info / 15017

Will do Terry!

Thanks Chris

-----Original Message-----

From: Scott, Jimmy [mailto:JScott@lakecountyfl.gov]

Sent: Monday, May 16, 2016 4:24 PM

To: Chris Gallagher

Cc: Robert Rudd; GBracken@pospiechcontracting.com; Kirkland, Alan; Koontz, Lori; Hinton, Joseph; Marchese, Deborah; 'Scott Smith' (ssmith@pospiechcontracting.com); Jeffrey Begovich; Dietz, Denis; Globig, James; Carlotta Paryika (c.partyka@tcd-usa.com) (c.partyka@tcd-usa.com)

Subject: Re: RRFB Info / 15017

Yes, please ask and let us know so we can take it to Fred.

Thanks

Terry Scott,  
Lake County Public Works

On May 16, 2016, at 3:56 PM, Chris Gallagher <c.gallagher@tcd-usa.com<mailto:c.gallagher@tcd-usa.com>> wrote:

Terry,

Not a part of the APL item of the RRFB. I can ask the manufacturer if an audible ped button will work with these units if you would like.

Thanks Chris

From: Scott, Jimmy [mailto:JScott@lakecountyfl.gov]

Sent: Monday, May 16, 2016 3:17 PM

To: Chris Gallagher; Robert Rudd; GBracken@pospiechcontracting.com<mailto:GBracken@pospiechcontracting.com>; Kirkland, Alan

Cc: Koontz, Lori; Hinton, Joseph; Marchese, Deborah; 'Scott Smith' (ssmith@pospiechcontracting.com<mailto:ssmith@pospiechcontracting.com>); Jeffrey Begovich; Dietz, Denis; Globig, James; Carlotta Paryika (c.partyka@tcd-usa.com<mailto:c.partyka@tcd-usa.com>) (c.partyka@tcd-

usa.com<mailto:c.partyka@tcd-usa.com>)

Subject: RE: RRFB Info / 15017

Chris,

Does it have a continuous beep until the lights quit flashing?

From: Chris Gallagher [mailto:c.gallagher@tcd-usa.com]

Sent: Monday, May 16, 2016 2:07 PM

To: Robert Rudd <rdudd@tierraeng.com<mailto:rdudd@tierraeng.com>>;

GBracken@pospiechcontracting.com<mailto:GBracken@pospiechcontracting.com>

Cc: Koontz, Lori <LKoontz@lakecountyfl.gov<mailto:LKoontz@lakecountyfl.gov>>; Scott, Jimmy

<JScott@lakecountyfl.gov<mailto:JScott@lakecountyfl.gov>>; Hinton, Joseph

<jhinton@lakecountyfl.gov<mailto:jhinton@lakecountyfl.gov>>; Marchese, Deborah

<DMarchese@lakecountyfl.gov<mailto:DMarchese@lakecountyfl.gov>>; 'Scott Smith'

(ssmith@pospiechcontracting.com<mailto:ssmith@pospiechcontracting.com>)  
<ssmith@pospiechcontracting.com<mailto:ssmith@pospiechcontracting.com>>; Jeffrey Begovich  
<jbegovich@tierraeng.com<mailto:jbegovich@tierraeng.com>>; Dietz, Denis  
<DDietz@lakecountyfl.gov<mailto:DDietz@lakecountyfl.gov>>; Globig, James  
<jglobig@lakecountyfl.gov<mailto:jglobig@lakecountyfl.gov>>; Carlotta Paryika (c.partyka@tcd-  
usa.com<mailto:c.partyka@tcd-usa.com>) (c.partyka@tcd-usa.com<mailto:c.partyka@tcd-usa.com>) <c.partyka@tcd-  
usa.com<mailto:c.partyka@tcd-usa.com>>  
Subject: RE: RRFB Info / 15017

When you push the button it gives an LED indication that you've pushed the button and a two-tone beep for this type of unit (per what I am being told from the manufactures rep). Let me know if this will work for you and or if you need anything else.

Thanks Chris

From: Robert Rudd [mailto:rrudd@tierraeng.com]  
Sent: Friday, May 13, 2016 2:08 PM  
To: GBracken@pospiechcontracting.com<mailto:GBracken@pospiechcontracting.com>  
Cc: Koontz, Lori (LKoontz@lakecountyfl.gov<mailto:LKoontz@lakecountyfl.gov>);  
jscott@lakecountyfl.gov<mailto:jscott@lakecountyfl.gov>;  
jhinton@lakecountyfl.gov<mailto:jhinton@lakecountyfl.gov>;  
DMarchese@lakecountyfl.gov<mailto:DMarchese@lakecountyfl.gov>; 'Scott Smith'  
(ssmith@pospiechcontracting.com<mailto:ssmith@pospiechcontracting.com>); Jeffrey Begovich; Chris Gallagher  
Subject: FW: RRFB Info

Gary,

See email concerning RRFB's. Same are acceptable as presently proposed. Proceed with installation of same as soon as RRFB's are available. Provide email notice when RRFB's are received and scheduled for delivery and installation.

Additionally, with RRFB's questions resolution please finalize CO-03 support documents submittal so that same can be processed.

Thanks,

Robert Rudd  
Tierra, Inc.

From: Scott, Jimmy [mailto:JScott@lakecountyfl.gov]  
Sent: Friday, May 13, 2016 2:00 PM  
To: Robert Rudd; Gary Bracken; 'Chris Gallagher'  
Cc: Hinton, Joseph; Schneider, Fred; Kirkland, Alan; Marchese, Deborah  
Subject: RE: RRFB Info

Robert/ Gary,

Fred has agreed to go with the 4 RRFB's as ordered. He asked if the beacons made some sort of audible chirp/beep sound. I reached out to Chris Gallagher to find out and he is supposed to let me know early next week if this is possible.

From: Robert Rudd [mailto:rrudd@tierraeng.com]  
Sent: Friday, May 13, 2016 11:50 AM  
To: Scott, Jimmy <JScott@lakecountyfl.gov<mailto:JScott@lakecountyfl.gov>>

Cc: Hinton, Joseph <jhinton@lakecountyfl.gov<mailto:jhinton@lakecountyfl.gov>> .  
Subject: RE: RRFB Info

Terry,

N Hancock Rd is a divided highway. Lanes NB and SB are separated by a median. Lanes are Uni-directional. From information provided devices would be one sided. See following System Configuration section of the product information data.

<image001.png>

From what I can tell system has been priced correctly from data provided. Let me know if Pospiech needs to price system as Bi-directional Configuration.

Thanks,

Robert Rudd  
Tierra, Inc.

From: Scott, Jimmy [mailto:JScott@lakecountyfl.gov<mailto:JScott@lakecountyfl.gov>]  
Sent: Friday, May 13, 2016 11:21 AM  
To: Robert Rudd  
Subject: FW: RRFB Info

This is where I sent to you and Scott, is this what was ordered?

From: Scott, Jimmy  
Sent: Monday, March 21, 2016 8:10 AM  
To: Robert Rudd (rrudd@tierraeng.com<mailto:rrudd@tierraeng.com>)  
<rrudd@tierraeng.com<mailto:rrudd@tierraeng.com>>; 'Scott Smith'  
<:ssmith@pospiechcontracting.com<mailto:ssmith@pospiechcontracting.com>>  
Cc: Hinton, Joseph <jhinton@lakecountyfl.gov<mailto:jhinton@lakecountyfl.gov>>; Marchese, Deborah  
<DMarchese@lakecountyfl.gov<mailto:DMarchese@lakecountyfl.gov>>  
Subject: FW: RRFB Info

Scott,

Below is some additional information to go with the CO.  
Thanks.

From: Dietz, Denis  
Sent: Friday, March 18, 2016 2:21 PM  
To: Scott, Jimmy <JScott@lakecountyfl.gov<mailto:JScott@lakecountyfl.gov>>  
Cc: Kirkland, Alan <akirkland@lakecountyfl.gov<mailto:akirkland@lakecountyfl.gov>>  
Subject: FW: RRFB Info

Info for the RRFB Rectangular Rapid Fire Beacons.

Fred wanted bi-directional beacons on all the units.

Solar powered.

Ability to activate all beacons from any one push button. Usually uses radio controlled instead of hard wire

Installed on a breakaway usually a T-base/aluminum base bolted to anchor bolts.

The R920 does all of this. Other brands may also. As long as the units are on the APL.

Thanks,  
Denis Dietz  
Supervisor  
Lake County Traffic Operations  
28127 CR 561  
Tavares, FL 32778  
352-742-1766  
ddietz@lakecountyfl.gov<mailto:ddietz@lakecountyfl.gov>

From: Dietz, Denis  
Sent: Tuesday, March 01, 2016 6:29 AM  
To: Schneider, Fred; Schneider, Fred; Kirkland, Alan; Lynch, Seth  
Cc: Globig, James  
Subject: RRFB Info

Please see the attached cut sheet and two quotes for the RRFB. There are two versions. One with a single light bar for each direction and one with back to back light bars. For N. Hancock Rd, with the median assemblies, the single sided light bar would probably be best. The TCS quote mistakenly added sales tax..

Thanks,  
Denis

---

EEO COMPLIANCE STATEMENT: Traffic Control Devices, Inc., does not discriminate on the grounds of race, color, religion, sex, national origin, age or disability in the selection and retention of subcontractors, including procurement of materials and leases of equipment.

---

EEO COMPLIANCE STATEMENT: Traffic Control Devices, Inc., does not discriminate on the grounds of race, color, religion, sex, national origin, age or disability in the selection and retention of subcontractors, including procurement of materials and leases of equipment.

---

EEO COMPLIANCE STATEMENT: Traffic Control Devices, Inc., does not discriminate on the grounds of race, color, religion, sex, national origin, age or disability in the selection and retention of subcontractors, including procurement of materials and leases of equipment.

---

EEO COMPLIANCE STATEMENT: Traffic Control Devices, Inc., does not discriminate on the grounds of race, color, religion, sex, national origin, age or disability in the selection and retention of subcontractors, including procurement of materials and leases of equipment.