Boating Improvement

1.01 SCOPE OF WORK: Provide all labor, materials, equipment, fuel and other incidental costs and supervision necessary for the furnishing, delivery and off-loading of one (1) Erect-A-Step Ships Ladders for Various County Boat Ramps. All furnishings shall be in strict compliance with the latest codes, standards and practices.

Misc. Items to be noted:

- Erect-A-Step (6 step) or approved equal must (meet or exceed the specifications)
- Aluminum Ship Steps, 24" Tread width, 4" Tread Depth.
- Aluminum powder coated handrails.
- OSHA Compliant
- Must submit photo / catalog cut sheet of product for approval.
- See attached picture/ detail sheets for reference.
- No installation required.
- Delivery to Office of Parks and Trails- 2401 Woodlea Rd. Tavares, FL 32778.
- Contact Chris Macdonald 352-460-2902, 48 hours before delivery

1.02 SUBMITTALS:

- A. Submit product data/specification to the Office of Parks and Trails for review and approval of all requested products.
- B. All products shall be inspected by the County for damage and chipped or marred finish. Contractor shall replace any damaged or rejected products at no conditional cost to the owner. The owner's representative may at his option authorize acceptance of chipped or scratched painted surfaces repaired by contractor at his own risk.

1.03 PRODUCT HANDLING:

A. Deliver products to site in manufacturer's containers or packaging.

VWW.ERECTASTEP.COM/ABOUT/)

<u>:ONTACT</u> HTTPS://WWW.ERECTASTEP.COM/CONTACT/)

Ships Ladder







- · Aluminum Ship Steps
- 24" Tread width
- 4" Tread Depth
- Aluminum powder coated handrails
- OSHA Compliant

And described to the state of t	Amount Quantity
	Estimated Lengt

Quantity

GET A QUOTE

View Components (/components)

DESCRIPTION


DOWNLOADS

FAQ

What's a ship ladder? A "Ship Ladder" is defined by OSHA in proposed section 1910.21 as a stairway equipped with treads and stair rails with a slope greater than 70 degrees. Sometimes referred to as ship stairs, the term doesn't mean it's only used on ships, but merely stairs/ladders between 50° to 70° of incline and applications are for areas where standard stair length runs are not feasible. In almost every industrial environment, safe access for maintenance and production is a must. Erectastep's series of ship stairs is an

OSHA-compliant, configurable solution that provides stability and durability. Plus, because it offers complete customization, it's made to fit virtually any industrial application need.





Ship Ladder

OSHA defines a "Ship Ladder" in proposed section 1910.21 as a stairway equipped with treads and stair rails with a slope greater than 70 degrees.







Product Description

For industrial/commercial maintenance access and industrial/commercial storage access. This steep incline stair is not suited for standard public access, office, or residential use applications.

Suitable in areas where standard stair length runs are not feasible.

Ladder Sizes

2 STEP	18" TOW
3 STEP	27" TOW
4 STEP	36" TOW
5 STEP	45" TOW
5 STEP	54" TOW
6 STEP	63" TOW
6 STEP	72" TOW
7 STEP	81" TOW
8 STEP	90" TOW
9 STEP	99" TOW

