

**EXHIBIT A – SCOPE OF WORK
FURNISH AND INSTALLATION OF DRINKING FOUNTAIN AT McDONALD CANAL
BOAT RAMP**

1. CONTRACTOR RESPONSIBILITIES

Contractor shall:

- 1.1 Be fully competent in all aspects of the furnishing and installation of drinking fountains in a safe manner.
- 1.2 Furnish all labor, materials, equipment, fuel and any other incidental costs, and supervision necessary for the furnishing and installation of a drinking fountain at McDonald Canal Boat Ramp, 24600 CR 448A, Astatula, FL 34705.
- 1.3 Be responsible for non-performance liquidated damages.
- 1.4 Be responsible for damages caused as the result of completing the project.
- 1.5 Furnish all tools and equipment to complete project timely and efficiently.
- 1.6 Ensure all equipment used is in safe working order and is properly maintained.
- 1.7 All work and materials are subject to the approval of the County.
- 1.8 Contractor shall clean-up, remove, and dispose of all debris associated with the work performed.
- 1.9 Acceptance: The County will inspect finished product to determine compliance prior to final acceptance of the work.
- 1.10 FIELD CONDITIONS: Verify and coordinate all work to field locations and dimensions.
Contractor is responsible for the installation of temporary construction fencing and signage to safely enclose the work area.
- 1.11 Coordinate all work with Shane Strew (352)516-4916, 48 hours prior to delivery & installation to McDonald Canal Boat Ramp.

2. SCOPE OF WORK

2.1 Furnish and Install one (1) Halsey Taylor Endura II Outdoor HydroBoost Upper Bottle Filling Station

- 2.1.1 Install one (1) Halsey Taylor Endura II Outdoor HydroBoost Upper Bottle Filling Station – Model #4430BF1U.
- 2.1.2 Fountain shall be installed following manufacturer’s recommendations / installation instructions.
- 2.1.3 Fountain shall be installed on existing concrete pad. (see pictures and map)

3. COUNTY RESPONSIBILITIES

- 3.1 The County will provide a storage area for the Contractor to store equipment. The County is not responsible for theft of the Contractor’s items.

[The remainder of this page intentionally left blank]

PRODUCT SPECIFICATIONS

Halsey Taylor Endura II™ Outdoor HydroBoost® Upper Bottle Filling Station Tri-Level Pedestal Non-Filtered Non-Refrigerated. Features shall include 316 Stainless, Heavy Duty Vandal Resistant, Laminar Flow. Furnished with Vandal Resistant bubbler. Product shall be Floor Mount/Freestanding, for Outdoor applications, serving 3 station(s). Unit shall be lead-free design which is certified to NSF/ANSI 61 & 372 (lead free) and meets Federal and State low-lead requirements.

Special Features:	316 Stainless, Heavy Duty Vandal Resistant, Laminar Flow
Finish:	Beige (BGE), Black (BK), Blue (BLU), Brown (BRN), Evergreen (EVG), Gray (GRY), Orange (ORN), Powder Coat (12 Color Options), Purple (PUR), Red (RED), Terracotta (TER), White (WHT), Yellow (YLW)
Power:	No Electrical Required
Bubbler Style:	Vandal Resistant
Mounting Type:	Floor Mount/Freestanding
Chilling Capacity:	Non-refrigerated
Approx. Shipping Weight:	215 lbs.
Installation Location:	Outdoor
No. of Stations Served:	3
**When used in non-temperature controlled environments, unit(s) must be adequately winterized and/or protected from extreme heat to prevent damage where climates dictate.	

Special Note: Bottle Filler Stations 1 (Upper), Bubbler Stations 2 (Mid-Low), Choose from 12 color options

- Laminar flow provides clean fill with minimal splash.
- Base material constructed from marine-grade 316 stainless steel provides the ultimate corrosion protection from even the most corrosive elements.



Ships in one box.

AMERICAN PRIDE. A LIFETIME TRADITION. Like your family, the Elkay family has values and traditions that endure. For almost a century, Elkay has been a family-owned and operated company, providing thousands of jobs that support our families and communities.



PRODUCT COMPLIANCE

- ADA & ICC A117.1
- ASME A112.19.3/CSA B45.4
- Buy American Act
- GreenSpec®
- NSF/ANSI 61 & 372 (lead free)



Complies with ADA & ICC A117.1 accessibility requirements when installed according to the requirements outlined in these standards. Installation may require additional components and/or construction features to be fully compliant. Consult the local Authority Having Jurisdiction if necessary.

[Installation Instructions \(PDF\)](#)

Warranty pertains to drinking water applications only. Non-drinking water applications are not covered under warranty.

[Warranty \(PDF\)](#)

PART: _____ QTY: _____

PROJECT: _____

CONTACT: _____

DATE: _____

NOTES: _____

APPROVAL: _____

In keeping with our policy of continuing product improvement, Halsey Taylor reserves the right to change product specifications without notice. Please visit Halseytaylor.com for the most current version of Halsey Taylor product specification sheets. This specification describes a Halsey Taylor product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.

MOUNTING INSTRUCTIONS and PLUMBING CONNECTIONS

Provide solid, well-drained surface to mount pedestal fountain (concrete pad recommended) with adequate support (300 lb. load minimum). (6) 3/8" minimum fasteners (not included) should be attached firmly to mounting surface in order to secure unit. (Refer to rough-in diagram)


OPERATING PRESSURES:
Supply water 20 – 105 psi maximum

Locate and install plumbing through ground as required.

NOTE: Unit is not furnished with service valve.

Position pedestal over plumbing and secure base to fasteners. Remove access panels and connect supply and water lines. Turn on water supply and check for leaks. Reassemble access panels to pedestal.

Trap and service stop not included.



A = 3/8" O.D. Unplated copper tube connect. Shut off valve by others.
B = Access panel(8" x 10").
C = Removable bottom cover.

* ADA Requirement

In keeping with our policy of continuing product improvement, Halsey Taylor reserves the right to change product specifications without notice. Please visit Halseytaylor.com for the most current version of Halsey Taylor product specification sheets. This specification describes a Halsey Taylor product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.

Reference photo only.
Color of Fountain Being
Requested is Black.






December 6, 2021

1:500

Street Names

Section Grid



Local Streets

City Limits In

Subdivision Boundaries

County Boundary

Subdivision Blocks

Surrounding Counties

Subdivision Lot Numbers

Subdivision Lots

Building Footprints

Address Locations

Boundary Line Dimensions

Property Name

Tax Parcels Alternate Key

Tax Parcels

Conservation Easements

Township/Range Grid

Lake County Property Appraiser
Lake BCC

